PRECAUTIONARY STATEMENTS HAZARDS TO HIMANS AND DOMESTIC ANIMALS

EXTREMELY CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND **BLINDNESS. CAUSES SEVERE SKIN DAMAGE** AND BURNS. HARMFUL IF SWALLOWED, IN-HALED OR ASSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Keep container closed when not in use. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS Do Not Use or Store Near Heat or Open Flame.

#### STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohisited.

DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place, Consult Federal, State or Local disposal authorities for approved alternative procedures.

# 5WC-4 MICROORGANIS CONTROL CHEM

**ACTIVE INGREDIENTS:** 

Bis(tributyltin) oxide..... INERT INGREDIENTS:

**TOTAL 100.0%** 

# KEEP OUT OF REACH OF CHILDREN

#### DANGER:

## STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol, Call a physician at once. Never give an unconscious person anything by mouth.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN: Wash with soap and water, Remove contaminated clothing and wash before re-use. Discard contaminated shoes.

IF IN EYES: Immediately flush with plenty of water for at least 15 minutes, Call a physician.

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and consulsions may be needed.

DIRECTIONS FOR USE

### GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its

For algai control in industrial recirculating cooling water towers use 1.0 gallon of 5WC-475 per 10,000 gallons system water (100 ppm of the product) initially. Repeat as needed to achieve control. Badly fouled systems must be precleaned. Once the desired degree of control has been achieved, apply 1.0 gallon SWC-475 per 10,000 gallons system water (100 ppm of the product) weekly or as needed to maintain control. Begin treatment when the system is in jeopardy of becoming affected or after cleaning of systems whose efficiency is air, adv impaired. Technical assistance on individual site problems obtainable from your NALCO representative.

Feed 5WC-475 directly from the drum to a point in the system where it will be gwenty mixed and uniformly distributed.

NOTE: 5WC-475 INTENDED FOR INDUSTRIAL USE ONLY. Do not apply to potable or domestic water systems.

> EPA Roy. No. 1706-148 EPA Est. 1706-11-1

SEE SIDE PANEL AT LEFT FOR ADDITIONAL PRECAUTIONARY STATEMENTS

6216 West 66th Place

CHICAGO, ILLINOIS 60638

DO.T. SHIPPING NAME: WATER TREATMENT COMPOUND, LIQUID

155

Non Addition