

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS

**DANGER:** CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. HARMFUL OR FATAL IF SWALLOWED. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide, spray mixture, or residue that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Do not reuse empty container. Triple rinse and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

Consult federal, state or local authorities for approved alternative procedures.

EPA Registration No. 1706-151

EPA Est. No. 1706-IL-1

# NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

CHICAGO, ILLINOIS 60638

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

BEST AVAILABLE COPY

# NALCON<sup>®</sup> 7648

## MICROORGANISM CONTROL CHEMICAL

## ACTIVE INGREDIENTS:

|                                                                                                  |       |
|--------------------------------------------------------------------------------------------------|-------|
| n-Alkyl (88% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )   |       |
| dimethyl benzyl ammonium chloride                                                                | 25.9% |
| n-Dialkyl (88% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) |       |
| methy! benzyl ammonium chloride                                                                  | 5.1%  |

|                    |        |
|--------------------|--------|
| INERT INGREDIENTS: | 69.0%  |
| TOTAL              | 100.0% |

Weight per Gallon - 8.25 lbs.

## KEEP OUT OF REACH OF CHILDREN

**DANGER**

## STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothes before reuse.

If swallowed, do not induce vomiting, give milk, egg whites, gelatin solution or if these are not readily available, give large amounts of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be required.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For control of fungi, bacteria and amoeboid slime in pulp, paper or paperboard systems use 0.25-1.5 lbs. NALCON 7648 per ton of total paper (dry basis) production. Intermittent application to thick stock chests has proven most effective. Typical feed cycle would be 1 hr. on at a dosage of 4.0 lbs./ton and then 7 hrs. off to give a total average feed of 0.5 lbs./ton fiber.

Feed NALCON 7648 directly from the drum or dilute with water. Application may be anywhere in the system prior to sheet formation or to the recirculating white water.

