

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER:

**CORROSIVE CAUSES SEVERE EYE
AND SKIN DAMAGE. HARMFUL OR
FATAL IF SWALLOWED**

Do not get in eyes, on skin or on clothing. Wear
goggles or face shield and rubber gloves when
handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge
into lakes, streams, ponds or public waters un-
less in accordance with an NPDES permit. For guid-
ance contact your Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

STORAGE. Do not contaminate water, food, or feed
by storage or disposal. Open dumping is prohibited.

DISPOSAL. Pesticide wastes are acutely hazardous.
Improper disposal of excess pesticide, spray mix-
ture, or rinseate is a violation of Federal Law.
If these wastes cannot be disposed of by use ac-
cording to label instructions, contact your State
Pesticide or Environmental Control Agency, or the
Hazardous Waste representative at the nearest
EPA Regional Office for guidance.

METAL CONTAINERS. Triple rinse (or equivalent).
Then offer for recycling or reconditioning, or
puncture and dispose of in a sanitary landfill,
or by other procedures approved by state and
local authorities.

EPA Reg. No. 1706-151
EPA Est. No. 1706-IL-1



NALCO®

**NALCON®
7648**

MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS

n-nitro (60%TC19, 30%TC16, 5%TC12, 5%TC18)

dimethyl benzyl ammonium chloride

n-nitro (60%TC19, 30%TC16, 5%TC12, 5%TC18)

methy benzyl ammonium chloride

INERT INGREDIENTS

Total

26.97

5.17

68.62

100.62

Weight per Gallon 25 lbs

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT. Immediately flush eyes or skin with plenty of water for
at least 15 minutes. For eyes, call a physician. Remove and wash contam-
inated clothes before reuse.

IF SWALLOWED. DO NOT INDUCE VOMITING. Give egg whites, gelatin solution
or if these are not readily available, give large amounts of water. Call
a physician. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN. Probable mucosal damage may contraindicate the use of
laxatives. Measures against circulatory shock, respiratory depression
and convulsion may be required.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NALCO CHEMICAL COMPANY
6216 WEST 66TH PLACE CHICAGO, IL 60638


EMERGENCY TELEPHONE NUMBER
(312) 920-1510

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product
in a manner inconsistent with its labeling.

For control of fungi, bacteria and associated slime
in pulp, paper or paperboard systems use 0.25 - 1.5
lbs. NALCON 7648 per ton of total paper (dry basis)
production. Intermittent application to thick stock
chests has proven most effective. Typical feed cycle
would be 1 hour on at a dosage of 4.0 lbs/ton and
then 7 hours off to give a total average feed of 0.5
lbs/ton fiber.

Feed NALCON 7648 directly from the drum or diluted
water. Application may be anywhere in the system
prior to sheet formation or to the recirculating
white water.



BEST AVAILABLE COPY