

**CAUTIONARY STATEMENTS
DANGERS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER:

**IRRITANT. CAUSES SEVERE EYE
AND SKIN DAMAGE. HARMFUL OR
FATAL IF SWALLOWED.**

Do not get in eyes, on skin or on clothing. Wear
goggles or face shield and rubber gloves when
handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge
into lakes, streams, ponds or public waters un-
less in accordance with an NPDES permit. For guid-
ance, contact your Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

MIXTURE AND DISPOSAL

MIXTURE: Do not contaminate water, food, or feed
storage or disposal. Open dumping is prohibited.

DISPOSAL: Pesticide wastes are acutely hazardous.
Proper disposal of excess pesticide, spray mix-
ture, or rinsate is a violation of Federal Law.
If these wastes cannot be disposed of by use ac-
cording to label instructions, contact your State
Pesticide or Environmental Control Agency, or the
National Household Waste representative at the nearest
Regional Office for guidance.

RECYCLING CONTAINERS: Triple rinse (or equivalent)
and offer for recycling or reconditioning, or
store and dispose of in a sanitary landfill,
or by other procedures approved by state and
local authorities.

EPA Reg. No. 1706-151
EPA Est. No. 1706-1L-1



NALCO®

NALCON®

7648

MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS:

n-alkyl (60/C14, 30/C16, 5/C12, 5/C18)

dimethyl benzyl ammonium chloride

n-dialkyl (60/C14, 30/C16, 5/C12, 5/C18)

methyl oerzyl ammonium chloride

INERT INGREDIENTS:

Total

26.9%

5.1%

68.0%

100.0%

Weight per Gallon=8.25 lbs

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT: Immediately flush eyes or skin with plenty of water for
at least 15 minutes. For eyes, call a physician. Remove and wash contam-
inated clothes before reuse.

IF SWALLOWED: DO NOT INDUCE VOMITING. Give egg whites, gelatin solution
or if these are not readily available, give large amounts of water. Call
a physician. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of
gastric lavage. Measures against circulatory shock, respiratory depression
and convulsion may be required.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

CHICAGO, IL 60628

EMERGENCY TELEPHONE NUMBER
1-708-320-1510

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product
in a manner inconsistent with its labeling.

For control of bacteria and associated slime in pulp,
paper or paperboard systems use 0.25 - 1.5 lbs
NALCON 7648 per ton of total paper (dry basis)
production. Intermittent application to thick stock
 chests has proven most effective. Typical feed cycle
would be 1 hour on at a dosage of 4.0 lbs/ton and
then 7 hours off to give a total average feed of 0.5
lbs/ton fiber.

Feed NALCO 7648 directly from the drum or diluted
water. Application may be anywhere in the system
prior to sheet formation or to the recirculating
white water.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

BEST AVAILABLE COPY

NOTIFICATION
LABEL NOT REVIEWED
PER EPA NOTICE 86-6
DATE JUN 4 1989

00-00-0

00-00-0