

11/23/2009

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

NOV 23 2009

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Ms. Juli Mann
Paralegal Specialist for,
c/o Nalco Company
Steptoe & Johnson LLP
1330 Connecticut Avenue, NW
Washington, D.C. 20036-1795

Subject: Nalco 7330
EPA Registration Number 1706-153
Your Notification Dated October 23rd, 2009
EPA Received Date October 26th, 2009

The notification referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to update the container disposal statement as per PR Notice 2007-4, is acceptable.

The notification has been made part of the file.

If you have questions concerning this letter, please contact Karen M. Leavy at (703)-308-6237.

Sincerely, _____

A handwritten signature in black ink, which appears to read "M. Swindell", is written over a horizontal line.

Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division(7510P)

EPA Environmental Protection Agency Washington, DC 20460	United States <input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------

Application for Pesticide – Section I

1. Company/Product Number 1706-153 4. Company/Product (Name) Nalco 7330 5. Name and Address of Applicant (Include ZIP Code) Nalco Company 1601 West Diehl Road Naperville, IL 60563 <input type="checkbox"/> Check if this is a new address	2. EPA Product Manager Marshall Swindell PM# 33 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section - II

<input type="checkbox"/> Amendment – Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification – Explain Below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other – Explain Below.
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

FORWARD CORRESPONDENCE for this action to: Juli Mann, Steptoe & Johnson LLP, 1330 Connecticut Ave., NW, Washington, D.C. 20036.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. _____	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Packaging wgt. _____	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		No. per Container _____ No. per Container _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container _____	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper Glued <input type="checkbox"/> Stenciled			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Juli Mann	Title Paralegal Specialist, Steptoe & Johnson	Telephone No. (Include Area Code) 262-429-3095	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law			Date Application Received (Stamped)
2. Signature 	3. Title Paralegal Specialist, Agent for Nalco Company		
4. Typed Name Juli Mann	5. Date October 23, 2009		

WRITER'S DIRECT DIAL
202.429.3095

1330 Connecticut Avenue, NW
Washington, DC 20036-1795
Tel 202.429.3000
Fax 202.429.3902
steptoe.com

332

October 23, 2009

Via Hand Delivery

Marshall Swindell, Product Manager 33
Antimicrobials Division (AD)
c/o Document Processing Desk (**NOTIF**)
Office of Pesticide Programs (7510P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Re: Notification to update label per PR Notice 2007-4

Product: Nalco 7330 (EPA Reg. No. 1706-153)


Dear Marshall:

Please find enclosed a notification to update the container disposal statements per PR Notice 2007-4. The revised and updated language is highlighted in yellow on the enclosed label.


Documents included with this submission include an Application Form (EPA Form 8570-1) and one copy of the updated label.

Correspondence for this matter should be sent to me at the Washington, D.C. address identified above. If you require any further information please contact me at (202) 429-3095. Thank you for your attention to this matter.

Sincerely,



Juli Mann
Paralegal Specialist



PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE OR SKIN BURNS. HARMFUL IF INHALED, SWALLOWED OR ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Mixers, loaders, and others exposed to this product must wear: long-sleeved shirt and long pants; chemical resistant gloves such as nitrile or butyl rubber; shoes plus socks; goggles and face shield; and chemical resistant apron. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly. Do not apply this product in a way that will contact workers or other persons.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

This product is corrosive to mild steel. Do not store or transport in unlined metal containers.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

(Instructions for refillable containers:)

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling, if available; or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

(Instructions for non-refillable containers greater than 5 gallons:)

Container Handling: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling, if available, or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

(Instructions for non-refillable containers 5 gallons or less:)

Container Handling: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.



A MICROBIOCIDAL FOR CONTROL OF BACTERIA
RECIRCULATING WATER COOLING TOWER
AIR WASHER SYSTEMS AND BREWERY PIPING

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one.....
2-Methyl-4-isothiazolin-3-one.....

INERT INGREDIENTS:.....

TOTAL.....

This product contains the active

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FL

If swallowed:

- Call a poison control center or a doctor immediately.
- **DO NOT INDUCE VOMITING.**
- Do not give anything to drink.

If in eyes:

- Hold eye open and rinse slowly and gently with water.
- Remove contact lenses, if present, after the first or until it is judged that nearly all of the contaminant has been removed.
- Call a poison control center or a doctor immediately for treatment.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for at least 15 minutes.
- Call a poison control center or a doctor for treatment.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance. Perform mouth-to-mouth if possible.
- Call a poison control center or a doctor for further treatment.

NOTE TO PHYSICIAN:

Aspiration may cause lung damage. Probable cause of death is aspiration.

Have the MSDS and, if available, the product container label taken to the hospital or to the poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

Nalc
1601 W
Naperville
EMERGENCY PH

DOMESTIC

IN BURNS.
get in eyes, on
action in some
shirt and long
nd face shield;
n drenched or
manufacturer's
detergent and
before eating,
immediately if
remove PPE
As soon as
other persons.

uct into lakes,
irements of a
ority has been
sewer systems
ct your State
equipment or

s.

n dumping is
ure, or rinsate
ding to label
ardous Waste

not reuse this
isibility of the
ller. To clean
to application
vigorously or
equipment or
r recycling, if
ite or burn, if

riple rinse (or
contents into
then closures.
r 30 seconds.
over onto its
ment or a mix
then offer for
r incinerate or

r. Offer for
riple rinse as
or 10 seconds
seconds. Pour
Drain for 10
r recycling, if
ite or burn, if

on Container

ganic, N.O.S. (Isothiazolinone Microbiocide), 8, II

NALCO NALCO[®] 7330

A MICROBIOCIDAL FOR CONTROL OF BACTERIA, FUNGI AND ALGAE IN INDUSTRIAL RECIRCULATING WATER COOLING TOWERS, INDUSTRIAL PROCESS WATER SYSTEMS, AIR WASHER SYSTEMS AND BREWERY PASTEURIZERS.

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one.....1.11%
2-Methyl-4-isothiazolin-3-one.....0.39%

INERT INGREDIENTS:.....98.50%

TOTAL.....100.00%

This product contains the active ingredients at 0.127 pounds per gallon

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

FIRST AID

If swallowed:

- Call a poison control center or a doctor immediately for treatment advice.
- DO NOT INDUCE VOMITING.
- Do not give anything to drink.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing for at least 15 minutes or until it is judged that nearly all of the contamination has been removed.
- Call a poison control center or a doctor immediately for treatment advice.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or a doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or a doctor for further treatment advice.

NOTE TO PHYSICIAN:

Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.

Have the MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Nalco Company
1601 West Diehl Road
Naperville, IL 60563-1198
EMERGENCY PHONE NO. (800) 424-9300

It is a violation of Federal Law

INDUSTRIAL COOLING TO
(Such as pretreatment systems
reduction.) For control of bac
box or some other point in t
precleaned before treatment is l

INITIAL DOSE: When the sys
of NALCO 7330 per 1000 galle

SUBSEQUENT DOSE: When
of NALCO 7330 per 1000 galle

INDUSTRIAL RECI

For the control of bacteria, alg
other point in the system to ins

INITIAL DOSE: When the sys
of NALCO 7330 per 1000 galle

SUBSEQUENT DOSE: When
1.86 pounds or 4.5 to 28 fluid
needed to maintain control. Ba

AIR WASI

For control of bacteria, algae
mixing can occur such as the
MAINTAIN EFFECTIVE MI
precleaned before treatment is l

INITIAL DOSE: When the sys
NALCO 7330 per 1000 gallons

SUBSEQUENT DOSE: When
of NALCO 7330 per 1000 galle

EPA Establishr
match the pre

1706-
1706

Note to EPA Reviewer

NALCO
7330

IA, FUNGI AND ALGAE IN INDUSTRIAL
INDUSTRIAL PROCESS WATER SYSTEMS,
RIZERS.

.....1.11%
.....0.39%
.....98.50%
.....100.00%

ients at 0.127 pounds per gallon

H OF CHILDREN
PELIGRO

ID

r treatment advice.

for 15-20 minutes.
ites, then continue rinsing for at least 15 minutes
as been removed.
r treatment advice.

minutes.
lvices.

, and then give artificial respiration, preferably
ment advice.

l damage may contraindicate the use of gastric
or label with you when calling a poison control

NARY STATEMENTS.

pany
hl Road
563-1198
O. (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL COOLING TOWER SYSTEMS AND PROCESS WATER SYSTEMS

(Such as pretreatment systems and process waters used for washing metal or plastic parts and/or paint reduction.) For control of bacteria, fungi and algae, add NALCO 7330 to the tower basin, distribution box or some other point in the system to insure uniform mixing. Badly fouled systems must be precleaned before treatment is begun.

INITIAL DOSE: When the system is noticeably fouled apply 2.46 to 7.46 lbs. (37 to 113 fluid ounces) of NALCO 7330 per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 1.26 to 1.86 lbs. (19 to 28 fluid ounces) of NALCO 7330 per 1000 gallons of water in the system weekly or as needed to maintain control.

INDUSTRIAL RECIRCULATING CLOSED LOOP WATER COOLING SYSTEMS

For the control of bacteria, algae and fungi add NALCO 7330 to the reservoir, recirculating line or some other point in the system to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 1.26 to 7.46 lbs. (19 to 113 fluid ounces) of NALCO 7330 per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm NALCO 7330 (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of NALCO 7330 per 1000 gallons of in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

AIR WASHER SYSTEMS AND BREWERY PASTEURIZERS

For control of bacteria, algae and fungi, add NALCO 7330 to a point in the system where uniform mixing can occur such as the basin. FOR USE IN INDUSTRIAL AIR WASHER SYSTEMS THAT MAINTAIN EFFECTIVE MIST ELIMINATING COMPONENTS. Badly fouled systems must be precleaned before treatment is begun.

INITIAL DOSE: When the system is noticeably fouled, add 1.26 to 7.46 lbs. (19 to 113 fluid ounces) of NALCO 7330 per 1000 gallons of system water. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 0.3 to 1.86 lbs. (4.5 to 28 fluid ounces) of NALCO 7330 per 1000 gallons system water weekly or as needed to maintain control.

EPA REG. NO. 1706-153

EPA Establishment numbers may include the following. (Letters in () that match the prefix in batch number identify the establishment number.)

1706-CA-1 (CR); 1706-CN-1 (BU); 1706-DE-1 (PN);
1706-IL-1 (BP); 1706-LA-1 (GV); 1706-PA-1 (EL);
1706-WA-1 (VW); 68708-OK-1 (TU);
68708-TX-1 (SL); 68708-TX-3 (DS)

[Batch/Lot Number: _____]

Note to EPA Reviewer: Batch/Lot Number may or may not appear on the label.