

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE

CAUSES EYE DAMAGE AND SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN.

Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

DISPOSAL: Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) all containers and, for metal containers, offer for recycling or reconditioning (for plastic containers dispose in an incinerator), or dispose in landfill approved for pesticide containers or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

EPA Reg. No. 1706-157
EPA Est. 1706-LA-1



INDUSTRIAL RECIRCULATING WATER COOLING TOWER MICROBICIDE

ACTIVE INGREDIENTS

5-Chloro-2-methyl-4-isothiazolin-3-one 1.15%

2-Methyl-4-isothiazolin-3-one 0.35%

INERT INGREDIENTS

TOTAL

1.15%

0.35%

98.50%

100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER:

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN: Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

SEE SIDE PANEL AT LEFT FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For the control of bacteria, algae and fungi, add OWT-251 to the tower basin, distribution box or some other point to insure uniform mixing.

INITIAL DOSE

When the system is noticeably fouled, apply 2.46 to 7.46 lbs (37 to 113 fluid ounces) of OWT-251 per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE

When microbial control is evident, add 1.26 to 1.86 lbs (19 to 28 fluid ounces) of OWT-251 per 1000 gallons of water in the system weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment. OWT-251 weighs 8.4 lbs per gallon.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NALCO CHEMICAL COMPANY

RIVER ROAD (P. O. DRAWER 1)

NET CONTENTS SHOWN
ELSEWHERE ON CONTAINER

GARYVILLE, LOUISIANA 70051

D.O.T. SHIPPING NAME: WATER TREATMENT COMPOUND, LIQUID