

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER:

CORROSIVE. CAUSES EYE DAMAGE AND SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. MAY BE HARMFUL IF INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this pesticide only as specified on this label.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Containers: Do not reuse empty container. Triple rinse (or equivalent) Then puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



ACCEPTED **NALCO**®

AUG 28 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1706-158

NALCON®
7647

PAPERMILL SLICIDICIDE

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one.....	1.15%
2-Methyl-4-isothiazolin-3-one.....	0.35%
INERT INGREDIENTS:	98.50%
Total	100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen and call physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NALCO CHEMICAL COMPANY
P. O. DRAWER 1 GARYVILLE, LA 70051

EMERGENCY TELEPHONE NUMBER
(708) 920-1510

DIRECTIONS FOR USE:
GENERAL CLASSIFICATION

1041

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

PAPERMILL WATERS

NALCON 7647 is recommended for the control of bacterial and fungal slime in the production of paper.

POINT OF ADDITION: NALCON 7647 should be added to a point in the system to insure uniform mixing such as the Beater, Hydropulper, or Fan or Brake Storage Pumps.

DOSAGE: Apply 0.44 to 1.5 lbs. (7 to 23 fluid ounces.) of NALCON 7647 per ton (dry basis) of pulp or paper produced as a slug dose. If needed repeat daily. Badly fouled systems should be cleaned before initial treatment.

POLYMER LATEX PRESERVATION

NALCON 7647 is recommended for the control of bacteria and fungi in the manufacture and storage of synthetic and natural polymer latices including: acrylic; styrene/butadiene; carboxylated styrene/butadiene; ethylene/vinyl acetate; and copolymers intended for industrial use, such as xanthum gum, gum arabic, guar gum, protein-derived polymers, starches, and casein-derived polymers.

Add 0.43 - 3.3 lbs. of NALCON 7647 (195 g - 1.5 kg) to each 1,000 lbs. (453.6 kg) of emulsion to provide 425 to 3,350 ppm product (6.25 to 50 ppm active isothiazolones).

NOTE: To insure uniform mixing, add NALCON 7647 to latex or solutions slowly with agitation. The actual concentrations required will depend upon such factors as the specific substance to be treated, frequency of repeated microbial contamination expected, and level of protection required.

COATING PRESERVATION

NALCON 7647 is recommended as an in-container preservative for the control of bacteria and fungi in water-based coatings such as paper coatings.

Add 0.43 - 1.65 lbs of NALCON 7647 (195 - 750 g) to each 1,000 lbs. (453 kg) of fluid to provide 425 to 1,675 ppm product (6.25 to 25 ppm active isothiazolones).

DISPERSED PIGMENT PRESERVATION

NALCON 7647 is recommended for the control of bacteria and fungi in the manufacture and storage of dispersed pigments such as kaolin clay, montmorillonite clay, titanium dioxide, calcium carbonate, calcium sulfate, barium sulfate, magnesium silicate, and kieselguhr used in paper production.

Add 0.43 - 1.65 lbs of NALCON 7647 (195 - 750 g) to each 1,000 lbs. (453 kg) of fluid to provide 425 to 1,675 ppm product (6.25 to 25 ppm active isothiazolones).

EPA Reg. No 1706-158
EPA Est. No 1706-LA-1

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

DRAFT 5/90

D. O. T. : CORROSIVE LIQUID, N. O. S. UN 1780 (5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)