

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE OR SKIN BURNS. HARMFUL IF INHALED, SWALLOWED OR ABSORBED THROUGH SKIN.** Do not get in eyes, on skin or on clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Mixers, loaders, and others exposed to this product must wear: long-sleeved shirt and long pants; chemical resistant gloves such as nitrile or butyl rubber; shoes plus socks; goggles and face shield; and chemical resistant apron. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly. Do not apply this product in a way that will contact workers or other persons.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to aquatic plants, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

This product is corrosive to mild steel. Do not store or transport in unlined metal containers.

**STORAGE AND DISPOSAL**

**STORAGE:** Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

**METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**PLASTIC CONTAINERS:** Do not reuse empty container. Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



**RO PLUS® 7289**

**AN ANTIMICROBIAL FOR THE TREATMENT OF ULTRA FILTRATION UNITS AND NON-MEDICAL/NON-POTABLE REVERSE OSMOSIS MEMBRANES AND PERIPHERAL SYSTEMS**

**ACTIVE INGREDIENTS:**

5-Chloro-2-methyl-4-isothiazolin-3-one.....	1.11%
2-Methyl-4 isothiazolin-3-one.....	0.39%
<b>INERT INGREDIENTS:</b> .....	<b>98.48%</b>
<b>TOTAL</b> .....	<b>100.00%</b>

This product contains the active ingredients at 0.127 pounds per gallon

**KEEP OUT OF REACH OF CHILDREN  
DANGER PELIGRO**

**FIRST AID**

- IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advise.
- IF SWALLOWED: Call a poison control center or doctor immediately for treatment advise. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.
- IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.
- IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advise
- NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

EPA REG. NO. 1706-183      EPA EST. NO. 1706-LA-01  
EPA EST. NO.: 10445-PA-01

ONDEO Nalco Company  
ONDEO Nalco Center  
Naperville, IL 60563

EMERGENCY PHONE NO. (800) 462-5378

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


**BADLY FOULED SYSTEMS MUST BE CLEANED BEFORE TREATMENT IS BEGUN.**

For controlling bacterial fouling of ultra-filtration units, non-medical or non-potable reverse osmosis membranes and peripheral systems, where approved for compatibility by the membrane manufacturer or demonstrated by other means to be compatible, add this product to the system inlet water or before any other contaminated area ahead of the Reverse Osmosis or Ultra-filtration unit. Addition should be made with a metering pump on a continuous basis depending on the severity of contamination when treatment is begun, and the guidelines specified by the membrane manufacturer or demonstrated by other means to be compatible. During use of this product for ultra-filtration units and reverse osmosis membranes, both permeate and reject water should be directed to the drain. Once treatment has been completed, rinsing with feedwater should be continued until conductivity values in the permeate are at or below values before treatment with this product.

**FOR CONTROL OF BACTERIAL FOULING**

When the system is noticeably fouled, add 2.75-16.5 fluid ounces RO Plus 7289 per 1000 gallons of feedwater (20-130 ppm). Product should be fed continuously for a time period of 1 to 24 hours 7 days each week depending on the severity of the problem. For off-line cleaning, RO Plus 7289 should be added to provide a level of 100-400 ppm (13.75-55 fluid ounces per 1000 gallons in the soak tank.)

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER



1706-183

6/21/2001

SVEZ

1/1