

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE OR SKIN BURNS. HARMFUL IF INHALED, SWALLOWED OR ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Mixers, loaders, and others exposed to this product must wear: long-sleeved shirt and long pants; chemical resistant gloves such as nitrile or butyl rubber; shoes plus socks; goggles and face shield; and chemical resistant apron. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly. Do not apply this product in a way that will contact workers or other persons.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic plants, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

This product is corrosive to mild steel. Do not store or transport in unlined metal containers.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINERS: Do not reuse empty container. Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL: Consult Federal, State or Local disposal authorities for approved alternative procedures



Calgon PB-15L Papermill Slimicide

ACTIVE INGREDIENT:

5-Chloromethyl-4-isothiazalin-3-one.....1.11%

2-Methyl-4-isothiazalin-3-one.....0.39%

INERT INGREDIENTS..... 98.5%

TOTAL..... 100.0%

This product contains the active ingredients at 0.127 pounds per gallon

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

FIRST AID

- **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advise.
- **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advise. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.
- **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.
- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advise
- **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See side panel for additional precautionary statements

EPA Reg. No. 1706-20

EPA Est. No. 10445-BA-1

EPA Est. No. 1706-LA-1

ONDEO NALCO COMPANY

Ondeo Nalco Center

Naperville, IL 60563-1198

EMERGENCY PHONE NO.: (800) 462-5378

Net contents shown elsewhere on container

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Calgon PB-15L Papermill Slimicide is recommended for the control of bacterial and fungal slime in the production of paper. This product is approved by the Food and Drug Administration for use as a slimicide (21CFR176.300) and as an antimicrobial agent for fillers, binders, pigment slurries, sizing solutions, and coating formulations used in the manufacture of paper and paperboard that contacts food (21CFR176.170).

POINT OF ADDITION: Calgon PB-15L Papermill Slimicide should be added to a point in the system to insure mixing, such as the beater, hydropulper, or fan or broke storage pumps.

DOSAGE: Calgon PB-15L Papermill Slimicide is recommended for the control of bacteria and fungi for water based-paper coating formulations and additives used in the manufacture of paper and paperboard such as fillers, binders, clay slurries, calcium carbonate slurries, titanium dioxide slurries, pigment slurries and sizing solutions. Add 0.43-1.65 lbs. Calgon PB-15L Papermill Slimicide (195-750g) to each 1000 lbs. (453 Kg) of fluid to provide 425-1675 ppm of product (6.25 to 25 ppm active isothiazolin). As a papermill slimicide, apply 0.44 to 1.5 lbs. (7-23 fl. oz.) of Calgon PB-15L Papermill Slimicide per ton (dry basis) of pulp or paper produced as a slug dose. If needed, repeat daily. Badly fouled systems should be cleaned before initial treatment.

For additional information regarding incidents involving human and environmental exposure, call ONDEO Nalco Company, Environmental Health & Safety at 800-462-5378



1706-204

6/21/2001

SVEZ