

JUN 9 2003

Mr. Claude H. Wolfe
Ondeo Nalco Company
Naperville, IL 60563-1198

Subject: D.C. San
EPA Registration Number 1706-229
Application Date: April 17, 2003
Receipt Date: April 22, 2003

Dear Mr Wolfe:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

- To revise the "First Aid" statement in accordance with PR Notice 2001-1.

Conditions


- Under the "Environmental Hazards" Statement revise the first sentence to read: "This product is toxic to fish and aquatic organisms".
- In the "Ingredient" Statement delete the "s" on Active Ingredient.

General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.0

If you have any questions regarding this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,



Robert S. Brennis
Product Manager 32
Regulatory Management Branch II
Pesticides Division (7510C)

SYMBOL								
SURNAME								
DATE								

PRECAUTIONARY STATEMENTS
HAZARD TO HUMAN AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Causes skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutants Discharge Elimination System (NPDES) Permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or the Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Strong oxidizing agent. Will burn with the evolution of chlorine and equally toxic gases. Contact with water slowly liberates irritating and hazardous chlorine-containing gases. Decomposes at 460° to 480° F with liberation of harmful gases. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other chemical product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire or explosion.

IN CASE OF FIRE: If possible isolate container in open air or well-ventilated area. Flood with large volumes of water.

IN CASE OF CONTAMINATION OR DECOMPOSITION: Do not reseal container.

STORAGE AND DISPOSAL

Storage: Retie polyethylene liner after each use and keep container tightly closed. Store in a dry place. Do not allow water to get into container. Keep container off wet floors. Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Wastes of this product may cause irreversible eye damage and burns to skin and may be dangerous. Dispose of equipment wash water and sanitizer wastes in a manner to avoid contamination of water resources. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty drum/liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Rinse empty container with water and dispose of in same manner.



D. C. SAN SANITIZER

ACTIVE INGREDIENTS:

Sodium Dichloro-s-triazinetriene Dihydrate.....25%

INERT INGREDIENTS.....75%

TOTAL.....100%

Provides 13.8 % available Chlorine

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

- **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.
- **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the MSDS with you when calling a poison control center or a doctor, or going for treatment.

EPA Reg. No. 1706-229

EPA Est. No.: 6574-KY-4

ONDEO Nalco Company

ONDEO Nalco Company

Naperville, IL 60563-1983

Emergency Phone No. (800) 424-9300

JUN 9 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

1706-229

D. C. San Sanitizer is recommended for use on hard, non-porous, surfaces, on dishes, glasses, food processing equipment or utensils including dairy and brewery equipment or utensils. D. C. San Sanitizer is very effective on tabletops, tanks, vats, floors, walls, dishes, glasses, metallic utensils and equipment. D. C. San Sanitizer can be used in dairies, food processing plants and restaurants and is particularly effective on surfaces that contact food.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SANITIZING DAIRY, BEVERAGE, BREWERY, AND FOOD PROCESSING EQUIPMENT & UTENSILS AND DAIRY FARM EQUIPMENT:

Immediately after use, rinse equipment or objects to be sanitized thoroughly to remove gross filth and heavy soil. Wash with a suitable ONDEO Nalco hard surface cleaner. Rinse thoroughly with potable water. Dissolve 1 ounce of D. C. San Sanitizer per 10 gallons of water to give a solution containing 100 ppm available chlorine. Use promptly after mixing. Apply the sanitizing solution to the surface to be sanitized by immersion, flooding, or spraying to wet all surfaces thoroughly. Let stand at least one minute. Drain and air dry. Test periodically with chlorine test kit. When solution depreciates to 50 ppm available chlorine, or becomes visibly soiled, discard. For mechanical applications, the prepared and spent use solution may not be reused for sanitizing but may be used for other purposes such as cleaning.

TERMINAL SANITIZING RINSE FOR GLASSES, DISHES & UTENSILS:

Scrape and pre-flush objects to be sanitized to remove gross filth and heavy soil. Wash with a suitable ONDEO Nalco hard surface cleaner. Rinse thoroughly with potable water. Sanitize by immersion in D. C. San Sanitizer solution using 1 ounce to each 10 gallons of water (100 ppm available chlorine). Use promptly after mixing. Immerse for at least 2 minutes or for contact time specified by governing sanitary regulations. Test periodically with chlorine test kit. When solution depreciates to 50 ppm available chlorine, or becomes visibly soiled, discard. Allow to air dry on a clean drain board. The same solution may be used in the feed tanks of immersion or spray type machines providing at least one minute contact time to sanitize dishes, glasses, and utensils.

SPECIAL APPLICATIONS:

Deodorizing: Use 1 ounce of D. C. San Sanitizer in 2 gallons of water (500 ppm available chlorine). Spray or rinse odor problem area. If applied to food contact surfaces, treatment must be followed with a potable water rinse.

Sanitizing Commercial Eggs: Wash with approved ONDEO Nalco product. Sanitize eggs by spraying with 100 ppm available chlorine solution using 1 ounce D. C. San Sanitizer in 10 gallons of water.

Net Contents: 200 Pounds (440 kg)

SVEZ

Handwritten initials: e, ll, e