

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
 A product for use in hospitals, clinics and other health care institutions to disinfect stainless steel surgical instruments and other hard nonporous surfaces.
Pre-cleaning: Gross dirt or heavy soil must be removed by immersion in 4 ounces per gallon of water solution of Hydrol Heavy Disinfectant Cleaner. Wet all surfaces thoroughly. Rinse completely with deionized or distilled water.
Disinfection: Immerse in solution of 16 ounces of Hydrol Formaldehyde Disinfectant plus deionized or distilled water to make 1 gallon of solution. Minimum contact time is 30 minutes. Wet all surfaces thoroughly. Rinse with sterile water. Do not allow solution to become contaminated. Fresh solution should be prepared for each disinfecting operation.

APPLICATION IN MUSHROOM HOUSES:

1. Tools and equipment such as wash tanks, cutting tools, tables and conveyors, Wash thoroughly with water to remove debris, then dip or spray with a solution made by mixing 1 gallon of this product with water to make 100 gal.

Rinse treated tools and equipment to remove all traces of formaldehyde.

2. Non-Producing areas: only in areas where compost and mushrooms are not and will not be present. No bed watering. Not for use in irrigation water.

When employees are gone, spray walls and floors with a solution made by mixing 2 to 4 gal. of this product with water to make 100 gal. DO NOT re-enter treated areas without approved respirator protection if odors of formaldehyde are detectable.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal, open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**HYDROL
FORMALDEHYDE DISINFECTANT**

**EFFECTIVE AGAINST SALMONELLA CHOLERAESUIS,
STAPHYLOCOCCUS AUREUS, PSEUDOMONAS AERUGINOSA**

STORE AT ROOM TEMPERATURE 55°-75° F (13°-24° C)

ACTIVE INGREDIENT
 FORMALDEHYDE 37.0%
 INERT INGREDIENTS 63.0%
 TOTAL 100.0%

*CONTAINS METHANOL
 THIS PRODUCT CONTAINS APPROXIMATELY 3.4 LBS. OF FORMALDEHYDE PER GALLON

NET WEIGHT 475 POUNDS

KEEP OUT OF REACH OF CHILDREN

**⚠ DANGER ⚠
POISON**

**CLEAR - COLORLESS SOLUTION
 IF CLOUDY FILTER.
 IF CLOUDINESS PERSISTS DISCARD.
 SEE BACK PANEL & MSDS FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS.**

Packaged By:

HYDROL CHEMICAL COMPANY

570 Commerce Drive
 Yeadon, PA. 19050

800-345-8200

In PA. 800-533-7000

ACCEPTED

OCT 11 1997

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 1712-7

CONTAINER DISPOSAL

(for metal containers)

Triple rinse (or Equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(for plastic containers)

Triple rinse (or Equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY

Agree that the claim on this label is no warranty representation or condition of any kind, expressed or implied (including no warranty of merchantability) concerning material sold hereunder or containers in which shipped. By purchase and use of this product, user assumes all risks and waives all claims against the manufacturer or distributor, whether based on negligence or strict liability, strict liability tort or any other cause of action connected with the use of this product or other than strict accordance with the directions and warnings given on this label.

FOR CHEMICAL EMERGENCY SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT

CALL CHEMTEC DAY OR NIGHT 800-424-6300

Precautionary Statements

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes eye damage and skin irritation. Methanol may cause blindness. Vapor harmful. Avoid breathing spray, mist, vapors. Avoid contact with skin. Avoid contamination of food. Do not get in eyes, on skin, or on clothing. Harmful or fatal if swallowed. Avoid prolonged or repeated contact with skin, eyes, clothing. Use with adequate ventilation. Wash thoroughly after handling.

HANDLING INSTRUCTIONS

When handling formaldehyde, use respirator approved by NIOSH, impervious gloves and chemical safety goggles.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans or public water unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Consult Material Safety Data Sheet for further information.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink promptly large quantities of water. Never give anything by mouth to an unconscious person. Call a physician.

Note to Physician: Probable mucosal damage may contraindicate the gastric lavage.

EPA ESTABLISHMENT NO. 1712-PA-1
 EPA REGISTRATION NO. 1712-7
 NET WEIGHT 475 pounds

NFPA HAZARD RATING
 HEALTH 2
 FLAMMABILITY 2

BEST AVAILABLE COPY