DATL

· · · · · · · · · · · · · · · · · · ·	1719-38 PMƏT TOF
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	EPA, REGISTRATION DATE OF ISSUANCE
REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	TERM OF ISSUANCE MAIL 12 1081
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE PRODUCT Zin-Tox 202 Water Based Wood
(Under the Federal Insecticide, Fungicide, and Rodenticide, Act, as amended)	Preservative
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	
۲	٦
Mobile Paint Manufacturing Compar	
Theodore, AL 36590	BEST AVAILABLE COPY
L.	
·	<del></del>
NOTE: Changes in labeling formula differing in substance fro submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration number	to use of the label in commerce. In any correspondence on this
On the basis of information furnished by the registrant, the at the Federal Insecticide, Fungicide, and Rodenticide Act.	ove named pesticide is hereby Registered/Reregistered under
A copy of the labeling accepted in connection with this Regis	stration/Reregistration is returned herewith.
Registration is in no way to be construed as an indorsement of health and the environment, the Administrator, on his motion, icide in accordance with the Act. The acceptance of any named Act is not to be construed as giving the registrant a right to each others.	may at any time suspend or cancel the registration of a peste in connection with the registration of a product under this
This product is conditionally regis 3(c)(7)(A) provided that you:	stered in accordance with PIFRA section
<ol> <li>Submit/cite all data required f your product under FIFRA section 3(c)(5) trants of similar products to submit suc</li> </ol>	or registration/reregistration of when the Agency requires all regis- th data.
2. Take the labeling changes liste for shippear:	so below before you release the product
a. Add the phrase "IPA lecistr	ation Jo. 1719-35."
12 to 48 hours, not 12 to 2	ecember 22, 1980, paragraph 2. The treatment of the materials is 4 hours as stated on the product Enge prior to releasing this
<ol> <li>Submit five (5) copies of your release the product for shipment. Refer description of final printed labeling.</li> </ol>	final printed labeling before you to the $\lambda$ -79 Enclosure for a further

ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lois A. Rossi Acting Product Manager (21) Fungicide-Herbicide Branch Registration Division (TS-767C)

Enclosures

MCCEPTED
with COMMENTS
in EPA Letter Dated:

## MAR 12 1987

Under the Federal Investible.

Pungicide, and Roden on the processor registered under EPA day one

1719-38

## BLP MOBILE PAINTS

ZIN-TOX NEW FORMULA 202
WATER BASED WOOD PRESERVATIVE

HELPS PREVENT WOODROT, TERMITES, MILDEW

15.
84.
100.

Weight Per Gallon - 8.23 Lb./Gal.

KEEP OUT OF REACH OF CHILDREN

WARNING!

HARMFUL OR FATAL IF SWALLOWED

See Side Panel for Additional Precautionary Statements.

CLEAR

artifical respiration and get medical attention. If swallowed, do not induce vomiting. Get medical attention immediately.

ENVIRONMENTAL HAZARD

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water or wet lands.

PHYSICAL AND CHEMICAL HAZARD Keep away from heat and open flame.

DIRECTIONS FOR USE
It is a violation of Federal Law
to use this product in a manner
inconsistant with its labeling.

This product is not intended for use on food, feed, potable water, living plants, livestock, dairy animals, or on wood surfaces where there will be frequent or prolonged skin contact.

Zin-Tox 202 preserves and protects all types of unpainted wood surfaces, lumber, timbers, fish nets, rope or twine.

Fish net, rope, or twine should be dipped in Zin-Tox 202 to throughly saturate the fibers.

Zin-Tox 202 may be applied by brushing freely, spraying, or dipping in a tank or trough.

Zin-Tox 202 may be painted over in 24 hours as it contains no creosote or tar products.

applied.

Shake well before using. Apply Zin-Tox 202 generously to all joints, cracks and end grains. If any cuts or holes are made after the initial treatment, Zin-Tox 202 should be reapplied to those areas.

All wood which is to come in

contact with the earth should receive two flowing coats by brushing or spraying or be dipped for at least 5 minutes for each inch of thickness. For best results fence posts, poles, foundations, timbers and heavy wooden members should be free of bark, dry and well seasoned, and immersed in the product for a period of 12 to 24 hours. Other surfaces require only one coat.

Zin-Tox 202 covers 300 Square feet per gallon, one coat.

STORAGE AND DISPOSAL

PROHIBITIONS
Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE
Do not store near heat or open
flame. Store in original
container only. Close container
after each use. Keep in a locked
storage area and out or reach of
children.

PESTICIDE DISPOSAL
Pesticide wastes are toxic.
Improper disposal of excess
pesticide, spray mixture, or
rinsate is a violation of Federal
Law. If these wastes cannot be
disposed of by use according to
lawel instructions, contact your
State Pesticide or Environmental
Control Agency, or the hazardous
waste representative at the
nearest EPA Regional Office for
guidance.

CONTAINER DISPOSAL
Triple rinse (or equivalent).
Then offer for recycling or
reconditioning, or puncture and
dispose of in a sanitary landfill,
or by other precedures approved
by state and local authorities.

EPA EST. 1719-AL-1 EPA REG. NO 1719-XX