



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue, NW
Washington, D.C. 20460-0001

EPA Reg. Number:

Date of Issuance:

1719-43

March 16, 2004

Terms of Issuance:

Conditional

Name of Pesticide Product:

Cop-R-Tox Wood Preservative

Registration
 Reregistration

(Under FIFRA, as amended)

NOTICE OF PESTICIDE:

Name and Address of Registrant (include ZIP Code):

Mobile Paint Manufacturing Co., Inc.
P.O. Box 717
Theodore, Alabama 36590

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above-named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for registration of your product under FIFRA section 4.

2. Make the following label changes:

a. Revise the EPA Registration Number to read, "EPA Registration No.1719-43"

Signature of Approving Official:

Adam Heyward
Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510C)

Date:

March 16, 2004

- b. The statement "CONTAINS PETROLEUM DISTILLATES" must be placed below the ingredient statement.
3. Submit three (3) copies of the final printed label for the record.

If these conditions are not compiled with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure:

**PRECAUTIONARY STATEMENTS
CONTAINS PETROLEUM DISTILLATES
HAZARD TO HUMANS AND DOMESTIC ANIMALS. WARNING!**
Do not breathe vapors, do not inhale or swallow. Do not breathe vapors or spray mist from this product by spraying or dipping applications. Wear a NIOSH/MSHA-approved mist respirator when spraying for continued or prolonged use of this product or frequent use. This product is flammable. Avoid contact with skin, eyes, or clothing. Causes skin and eye irritation. Wear protective clothing. Wash thoroughly with soap and water after handling in order to stop or smoking.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or a doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance. Provide artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

In case of an emergency, call toll free CHEMTEL at 1-800-255-3924. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN
Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. This product is toxic to domestic animals. Treated sawdust and other wood wastes should be disposed of properly and should not come in contact with domestic animals or be used as mulch where it will come in contact with useful living plants. Care should be taken to prevent drip or spray from contacting ornamental shrubs, trees, grass and other desirable vegetation. Vapors may cause injury if adequate ventilation is not insured. Do not use this product indoors, or in any other confined areas where the vapors may concentrate or migrate indoors and cause injury to plant or animal life.

PHYSICAL AND CHEMICAL HAZARD

Combustible. Do not use, pour, spill or store near heat or open flame. In case of fire Use dry chemical, foam, water fog or CO₂.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not intended for use on food, feed, potable water, living plants, livestock, dairy animals or on wood surfaces where there will be frequent or prolonged skin contact. Application of this product may produce a strong, lingering unpleasant odor.

COP-R-TOX® FOR PROTECTION OF WOOD

COP-R-TOX® soaks into wood pores giving long lasting protection against termites and rot-causing fungus, mildew and mold. Its lack of water solubility aids its waterproofing qualities.

FOR EXTERIOR USE ONLY

COP-R-TOX® FOR MARINE USE, CANVAS, WOOD, ROPES, NETS AND SEINES, DIP OR SOAK UNTIL THOROUGHLY WET. COP-R-TOX® saturates the fiber protecting against rot, mildew and fungus. Its waterproofing qualities add to its exceptional value in the preservation of these materials and to its long life and strength.

WOOD BOATS

COP-R-TOX® affords protection against decay-causing fungus and mold in interior and exterior locations. It has particular utility in bilges and on surfaces to be painted. COP-R-TOX® when applied to bare wood which will be below the waterline, will give 30 to 60 days protection in the event that anti-fouling exterior coat of paint is scraped off by contact with pilings or other surfaces.

DIRECTIONS

COP-R-TOX® is a 22.59% copper naphthenate solution and each gallon may be thinned with one gallon of mineral thinner to produce a 10% copper naphthenate solution. COP-R-TOX® may be applied by brushing freely, spraying or dipping in a tank. For lumber COP-R-TOX® penetrates best and is most effective when wood is unpainted, dry and clean. COP-R-TOX® may be painted over in 24 hours as it contains no creosote or tar products. A green cast may be noted in the first priming coat but this is not bleeding and should not show in subsequent topcoats of enamel. All wood in contact with the earth or secured to concrete slabs should receive two flowing coats by brushing or spraying or be dipped for at least five minutes. Other wood surfaces require only one coat. COP-R-TOX® should be applied at the rate of 300 square feet per gallon.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE - Do not store near heat or open flame. Store in original container only. Close container after each use. Keep in a locked storage area, and out of the reach of children.

PESTICIDE DISPOSAL - Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

EPA EST 1719 AL 1

EPA REG. NO. 1719 UG

COP-R-TOX®

Wood Preservative

**PENETRATING LIQUID COPPER
PROTECTS AGAINST
WOOD ROT, TERMITES, FUNGUS
FOR MARINE USE**

ACCEPTED
with COMMENTS
EPA Letter Dated:

MAR 16 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 1719-43

74-1

ACTIVE INGREDIENT	
Copper Naphthenate (2.37% Copper as Metal)	22.59%
INERT INGREDIENT	
Total	77.41%
	100.00%

**KEEP OUT OF REACH OF CHILDREN
WARNING!
HARMFUL OR FATAL IF SWALLOWED
FOR EXTERIOR USE ONLY
See Side Panel for Additional
Precautionary Statements**

ONE GALLON

MANUFACTURED BY MOBILE PAINT MFG. CO., INC., THEODORE, ALABAMA 36590

3/3