

PRECAUTIONARY STATEMENTS
CONTAINS CREOSOTE OIL
(COAL TAR CREOSOTE)

PHYSICAL AND CHEMICAL HAZARD

Combustible. Keep away from heat and open flame.
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING! May be harmful or fatal if swallowed. Do not breathe vapors or spray mist. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Avoid contact with skin, eyes or clothing. Causes skin and eye irritation which may be accentuated by sunlight. Wear protective clothing. Wash thoroughly with soap and water after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

In case of contact with skin, avoid sunlight. Wash with plenty of waterless hand cleaners or soap and water. Get medical attention if irritation persists. In case of contact with eyes, flood with plenty of water or mineral oil for at least 15 minutes. Get medical attention. If product is inhaled, remove victim to fresh air. If necessary, give artificial respiration and get medical attention. If swallowed, do not induce vomiting. Get medical attention immediately.

ENVIRONMENTAL HAZARD

This pesticide is toxic to wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not use near dairy farms or sites.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BLP CREOSOTE Non-Crystallizing 74-3 is a specially refined and processed creosoting oil for use in non-pressure treatment of wood. It penetrates deeply into the wood and remains there protecting it from moisture both above and below the ground. As it has a low viscosity and remains liquid and crystal free down to 40°F, it can be satisfactorily applied by brush, dipping, or spray at normal temperatures without heating.

Applied to wood, it is antiseptic and toxic to the dormant spores as well as the living threads of wood rotting fungi. Its insect repellent qualities make it useful in termite control.

APPLICATION: Work area should be well ventilated. Wood should be dry and well seasoned. **BLP CREOSOTE Non-Crystallizing 74-3** may be applied by brushing, spraying, or dipping in a tank or trough. All wood intended for use in contact with the earth must receive two flowing coats by brush or spray on all sides or be dipped, allowing to soak 15 to 20 minutes while completely immersed. When applying by brush or spray, give particular attention to knots, ends, and checked places to be sure that they receive a generous coating. In order to be effective against termites this treatment must be applied to the timber prior to installation.

One gallon applied by brush covers approximately 75 to 100 square feet one coat. Applied by spray, one gallon covers 100 to 150 square feet first coat or 150 to 200 square feet second coat.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Do not store near heat or open flame. Store in original container only. Close container after each use. Keep in a locked storage area and out of reach of children.

PESTICIDE DISPOSAL

Pesticide wastes are toxic and their disposal or disposal of pesticide spray mixture or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. EPA EST 170-AL1 EPA REG. NO. 11-019



ACTIVE INGREDIENT

Coal Tar Creosote 98.5%

INERT INGREDIENTS

Water 1.0%

Benzene Insoluble Material 0.5%

TOTAL 100.0%

CREOSOTE
NON-CRYSTALLIZING 74-3

THIS PRODUCT MEETS THE FOLLOWING
FEDERAL SPECIFICATION TT-C-655
AWPA SPECIFICATION P 7-58
ASTM D - 43-41

KEEP OUT OF REACH OF CHILDREN

WARNING!

Harmful Or Fatal If Swallowed.
Irritating To Eyes Or Skin.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED

SEP 13 1979

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the purpose of registration under EPA Reg. No. 177.19

BEST DOCUMENT AVAILABLE

MOBILE PAINT MANUFACTURING COMPANY
THEODORE, ALABAMA 36590

ONE GALLON

NATIONAL

ORNATHAL™

LAWN AND ORNAMENTAL FUNGICIDE

ACTIVE INGREDIENT

*Chlorothalonil (technical isophtalyl isomer) 4.5%

INERT INGREDIENTS

*U.S. Patent Nos. 2,608,851 and 2,608,852

BEST DOCUMENT AVAILABLE

CAUTION:

KEEP OUT OF REACH OF CHILDREN

(See right panel for additional cautions)

EPA Reg. No. 1769-251 AA

NATIONAL CHEMSEARCH

INDUSTRIAL AND INSTITUTIONAL USE ONLY

"STIR WELL BEFORE USING"

GENERAL INFORMATION: National Chemsearch ORNATHAL is highly effective for the control of a number of important turf and lawn diseases as well as a number of diseases of ornamentals. Prepare ORNATHAL with water in a bucket before introduction into the sprayer tank for final dilution. The tank should be mixed thoroughly and applied immediately before and during watering to prevent settling. After stopping of the line of water, the water should be mixed before application.

DIRECTIONS FOR USE:

TURF: Apply ORNATHAL at a rate of 2 pints of water per 1000 square feet to lawns and turf areas according to the following chart.

DISEASE	Rate per 1000 sq. ft.	Rate per 1000 sq. ft.	Rate per 1000 sq. ft.
Head smut	1 pint	1 pint	1 pint
Leaf Spot & Yellowing	1 pint	1 pint	1 pint
Black Spot	1 pint	1 pint	1 pint
Brown Patch	1 pint	1 pint	1 pint
Leaf Blight	1 pint	1 pint	1 pint
Leaf Throat	1 pint	1 pint	1 pint
Root Rot	1 pint	1 pint	1 pint
Stem Rot	1 pint	1 pint	1 pint
Top Knot	1 pint	1 pint	1 pint

For ornamentals, apply ORNATHAL at a rate of 1 pint per 1000 square feet. For ornamentals, apply ORNATHAL at a rate of 1 pint per 1000 square feet. For ornamentals, apply ORNATHAL at a rate of 1 pint per 1000 square feet.

FOR INDUSTRIAL OR INSTITUTIONAL USE ONLY


ORNAMENTALS — Apply ORNATHAL at the first sign of disease and repeat at 7-14 day intervals throughout the season. Make applications on a 7 day schedule during periods of wet weather or severe disease conditions. To control Black Spot Blossom Blight, use 1 gallon of ORNATHAL to 37 gallons of water. To control Ascochyta Ray Blight and Gray Mold on chrysanthemum, Botrytis Blight on geraniums and iris and Leaf Spot on iris and Posidery Mildew on zinnia, use 1½ gallons of ORNATHAL to 37 gallons of water.

CAUTION: Do not take internally. Avoid contact with eyes. Wash thoroughly with soap and water after handling.

NOTE: The active ingredient may produce temporary allergic side effects characterized by redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician. Affected persons respond to treatment with antihistamines or steroid creams and/or systemic steroids. There is no evidence of after effects or permanent injury.

Do not reuse empty container. Return to a drum recon-ditioner or perforate and crush and bury in a safe place away from water supplies.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.



EPA Est. No. 1340

ATLANTA, GA. TX 1