

TESCLOR

GRANULAR



DANGER!
KEEP OUT OF
REACH OF
CHILDREN
See Antidote and
Other Warnings on
Back Panel

TESCLOR Granular

When used as directed this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6. It is recommended that the pool be stabilized with 40-50 p.p.m. trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water, however, it is necessary to initially stabilize pools with 40-50 p.p.m. trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

Use 4 ounces of TESCLOR Granular per 10,000 gallons of water as an initial treatment. Repeat as required to establish a residual of 1.0 to 1.5 p.p.m. available chlorine as determined by test kit. The regular use of the test kit will aid in determining when it is necessary to add more TESCLOR Granular to maintain a residual of 1.0 to 1.5 p.p.m. available chlorine. An average is 2 to 3 ounces per 10,000 gallons of water daily. The use of a quaternary ammonium type algicide will complement this total program of swimming pool maintenance.

If a need is indicated for superchlorination to control algae growth, use 1 pound of this product per 10,000 gallons of water.

Note: If the chlorine residual is 2.0 p.p.m. or above, the pool should not be used until the residual drops.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

DANGER! KEEP OUT OF REACH OF CHILDREN

Corrosive. Strong oxidizing material. Causes severe eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Keep away from heat or open flame. Avoid breathing dust.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Product Code H-155

6-72



FIRST IN WATER CHEMISTRY

General Offices: ATLANTA, GA.

EPA Reg. #1729-93