


ALGAE-KILL

For use in all types of Swimming Pools
(AVAILABLE CHLORINE 50%)



NET WEIGHT 2 POUNDS

Active ingredient: Potassium 1, 3-Dichloro-s-triazinetrione (C-10086)

DANGER: KEEP OUT OF REACH OF CHILDREN

SEE ANTIDOTE AND OTHER WARNINGS ON BACK PANEL

ACC

Sep 1

UNDER THE
FUNGICIDE ACT
FOR ECONOMIC
ED UNDER N

1 LB.

1 LB.

1 2 LB.

Shut off the pump
ALGAE KILL with
heavy growth
algae. 1 pound
chlorine residue

DANGER: Stron-
tamination from
when not in use
maintenance; h

AS A DANGER
DANGER: KEEP
tion. Do not g
gloves when h
breathing dust.

FIRST AID: In-
least 15 minut
reuse.

If swallowed, c
are not availab

NOTE TO PHY:
Measure gain

This product is
lakes, streams,

RINSE

Product Code:
8 72

ACC

Sep

UNDER THE
FUNGICIDE A
FOR ECONOM
ED UNDER N

1 1/2 LB.

1 LB.

1 2 LB.

DIRECTIONS

Shut off the pool pump and wait 3 or 4 hours for pool water to become still. Pour ALGAE KILL where algae appears, along pool walls and on the surface of the water. For heavy growth of algae, use 2 pounds per 10,000 gallons of water; for light growth of algae, 1 pound per 10,000 gallons. Turn on pump after 6 hours. Do not use pool until chlorine residual falls below 3 p.p.m.

DANGER: Strong oxidizing agent. Contact with heat, moisture, foreign materials, or contamination from any source may result in fire. Store in a cool, dry place. Keep container closed when not in use. This product is compatible with all chemicals normally used in swimming pool maintenance; however, **THIS PRODUCT SHOULD NEVER BE MIXED WITH OTHER PRODUCTS AS A DANGEROUS REACTION MAY RESULT.**

DANGER: KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Avoid breathing dust.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.


If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT. DO NOT REUSE IT.

Product Code: M-172
C-72

Container Code: C-234
EPA Reg. # 41729-94



FIRST IN WATER CHEMISTRY

GENERAL OFFICES - ATLANTA, GEORGIA 30310