



WIDGET STICKS

When used as directed this product is effective as a pool mater disinfecting agent

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6. It is recommended that the pool be stabilized with 40.50 p.p.m. triflydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and triflydroxy triazine are being added to the water. However, it is necessary to indially stabilize pools with 40.50 p.p.m. triflydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

WINCUTIONS

A chlorine residual of 1.0 to 2.0 p.p.m. available chlorine must first be established in the pH-adjusted and conditioned pool if this is accomplished with a granular product such as Granular Concentrate, follow directions for use on that product tabel if the residual is established with WIDGET STICK compound in a chemical feeder, set the feeder at the highest feed rate in accordance with the feeder manufacturer's instructions. When the residual reaches 1.0 to 2.0 p.p.m. adjust the feeder accordingly.

To maintain a chlorine residual of 1.0 to 2.0 p.p.m. adjust whatever procorbining mechanism that might be used to assure a constant treatment level of 1.0 to 2.0 p.p.m. available chlorine in the pool water (normally 1 to 2 ounces of this product per 10,000 gallons daily). Feeder manufacturer's operating instructions will provide settings for this and other feed rates.

The regular use of a test kit will determine if further adjustments may be necessary to maintain the recommended level of as a sable chloring in the pool water.

DARGER: REEP OUT OF REACH CO CHILDREN. Corrosive, causes eye damage. May be fatal if smallowed. Do not get in eyes, on skin or on clething, firstating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: It swallowed feed gruef, cocked cereal or bread soaked in milk, followed by onlye oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated crithing before reuse.

STRONG OXIDIZING AGENT. Mix only with water, lise clean dry utensils. Contamination by mosture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool dry, well verbiated area away from heat or open flame. Decomposes at 350 degrees—475 degrees F with liberation of hazardous gases. In case of decomposition, if possible, isolate container open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL MAZARDS: This product is toxic to lish. Treated effluent should not be discharged where it will drain into lakes, streams, poinds or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

NOTE 10 PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

Product Code 1-91

Tesco Chemicals Inc. 1850 Airport Industrial Park Drive Marietta, Georgia 30062 A Subsidiary of Hill Pros. Inc

EPA Reg No 1729-95 EPA Est No 01729GA01