



TESCO-TABS Tablets

When used as directed this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6. It is recommended that the pool be stabilized with 40-50 p.p.m. trichloro-s-triazine to nullify the disinfection effect of sunlight on chlorine. When using this product, both chlorine and trichloro-s-triazine are being added to the water. However, it is necessary to initially stabilize pools with 40-50 p.p.m. trichloro-s-triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

A chlorine residual of 1.0 to 1.5 p.p.m. available chlorine must first be established in the pH-adjusted and conditioned pool. If this is accomplished with a granular product such as TESCO-LOR Granular, follow directions for use on that product label. If the residual is established with TESCO-TABS Tablets in a chemical feeder, set the feeder at the highest feed rate in accordance with the feeder manufacturer's instructions. When the residual reaches 1.0 to 1.5 p.p.m., adjust the feeder accordingly.

To maintain a chlorine residual of 1.0 to 1.5 p.p.m., adjust whatever proportioning mechanism that might be used to assure a constant treatment level of 1.0 to 1.5 p.p.m. available chlorine in the pool water (normally 1 to 2 ounces of this product per 10,000 gallons daily). Feeder manufacturers' operating instructions will provide settings for this and other feed rates.

Pool disinfection may be accomplished by putting TESCO-TABS Chlorine Tablets into skimmers. Determine the demand by use of a test kit and use the number of tablets necessary to satisfy this demand.

Check chlorine residual daily using a reliable test kit to determine if further adjustments may be necessary to maintain the recommended level of available chlorine in the pool water.

DANGER: KEEP OUT OF REACH OF CHILDREN. Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed, feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Remove and wash contaminated clothing before reuse.

STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°-475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed. Oxidizing material. Contact with heat, moisture, or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool, dry place. Keep away from heat or open flames.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT

Product Code: H-210



General Office: MARIETTA, GEORGIA

EPA EST NO. 1729GA01
EPA Reg. No. 1729-100

7/77