

FRONT PANEL

DIHALO

TABLETS

FOR REPACKAGING AND FORMULATING AS A
DISINFECTANT, SANITIZER, BACTERICIDE,
FUNGICIDE, AND SLIMICIDE

ACTIVE INGREDIENT:

1-Bromo-3-chloro-5,5-dimethylhydantoin 92.5%


INERT INGREDIENTS 7.5%
TOTAL 100.0%

AVAILABLE BROMINE62% AVAILABLE CHLORINE 27.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE STATEMENT OF PRACTICAL TREATMENT AND
OTHER PRECAUTIONS ON SIDE PANEL



HYDROTECH CHEMICAL CORPORATION

A Subsidiary of Great Lakes Chemical Corporation

P.O. Box 6549

Marietta, Georgia 30065

EPA REG. NO. 1729-130

EPA EST. NO. 5785-MI-1

LOT NO. _____

NET WT. _____

HT-130A

BACK PANEL DiHALO TABLETS

STATEMENT OF PRACTICAL TREATMENT.

IF SWALLOWED: Seek medical attention promptly. Do not induce vomiting. Do not drink alcohol. Drink at least 8 ounces of water (not to exceed 0.23 oz. per pound in a child).

IF ON SKIN: Remove contaminated clothing immediately. Brush off excess chemical and wash skin with large volumes of soap and water, flushing the skin with water for at least 15 minutes. If skin irritation develops, seek medical attention.

FOR EYE CONTACT: Irrigate eyes with large volumes of room temperature water for at least 15 minutes, then seek medical attention promptly.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ACCEPTED

JAN 09 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1729-130

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER. CORROSIVE. Causes eye and skin damage. Harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS.

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with an NPDES permit. For guidance, contact your regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS.

DANGER. STRONG OXIDIZING AGENT. Mix only with water. Use clean, dry utensils and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, hazardous gases and possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. If necessary, flood with large volumes of water.

DIRECTIONS FOR USE.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DiHalo TABLETS are to be used only for repackaging or formulating as a disinfectant, sanitizer, bactericide, fungicide, and slimicide. Registration by the Environmental Protection Agency is required before the new product can be lawfully distributed in interstate commerce.

BACK PANEL DIHALO TABLETS (CONTINUED)


STORAGE AND DISPOSAL

STORAGE: Keep product dry in closed container when not in use. Store in a cool, dry, well ventilated area away from heat, open flames, sunlight and other chemicals. Do not contaminate water, food, or feed by storage or disposal.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

For Plastic Pails: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For Drums: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.



4
4

OXIDIZER

5.1

OXIDIZING MATERIAL, N.O.S.
UN1479
BROMO-CHLORO-DIMETHYLHYDANTOIN