

AQUABROME™ TABLETS

SANITIZER FOR SWIMMING POOLS

ACTIVE INGREDIENT:

1-Bromo-3-chloro-5,5-dimethylhydantoin . . . 92.5%

INERT INGREDIENTS: 7.5%


TOTAL . . 100.0%

AVAILABLE BROMINE 61%

AVAILABLE CHLORINE 27%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE STATEMENT OF PRACTICAL TREATMENT AND
OTHER PRECAUTIONS ON BACK PANEL

HYDROTECH CHEMICAL CORPORATION

P. O. BOX 6549

MARIETTA, GEORGIA 30065

A Subsidiary of Great Lakes Chemical Corporation

EPA REG. NO. 1729-131

NET WT. _____

EPA EST. NO. 5785-M1-1

Lot Number _____

HT-131-C

BACK PANEL

AQUABROME TABLETS

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Seek medical attention promptly. Do not induce vomiting. Do not drink alcohol. Drink at least 8 ounces of water (not to exceed 0.23 oz. per pound in a child).
- IF ON SKIN:** Remove contaminated clothing immediately. Brush off excess chemical and wash skin with large volumes of soap and water, flushing the skin with water for at least 15 minutes. If skin irritation develops, seek medical attention.
- FOR EYE CONTACT:** Irrigate eyes with large volumes of room temperature water for at least 15 minutes, then seek medical attention promptly.
- NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes eye and skin damage. Harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with an NPDES permit. For guidance, contact your regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Use clean, dry utensils and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, hazardous gases and possible fire and explosion. In case of contamination or decomposition do not reseal container. If possible, isolate container in open air or well ventilated area. If necessary, flood with large volumes of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

2 3
ACCEPTED

SEP 21 1989

U.S. Environmental Protection Agency
Office of Pesticide Programs
Registration Division
1729-131

BEST AVAILABLE COPY

BACK PANEL AQUABROME TABLETS (Continued)

When used as directed, AQUABROME TABLETS are effective as a swimming pool water sanitizer and disinfectant. The filtration system should be in proper working order, the pH adjusted between 7.2 and 7.6, the total alkalinity maintained between 100 and 150 ppm, and the calcium hardness maintained between 150 to 300 ppm.

A bromine or chlorine residual of 1.0 to 2.0 ppm must first be established in the pH adjusted pool. If this is accomplished with a granular hypochlorite product such as NOK-OUT™ or FAST SHOCK™, follow use directions on that product's label. If the residual is established with AQUABROME TABLETS in an Aquabrome brominator, use the brominator at the highest feed rate following manufacturer's recommendations. When the bromine residual reaches 1.0 to 2.0 ppm, adjust the feeder accordingly. To maintain a bromine residual, adjust the brominator feed rate to assure a constant treatment level of 1.0 to 3.0 ppm in residential pools and 3.0 to 5.0 ppm in commercial pools (normally, 30 to 180 grams of this product per 10,000 gallons daily). Each AQUABROME TABLET weighs about 0.7 oz. (20 grams). Actual use rates will vary depending on organic load and environmental conditions. The regular use of a good test kit will determine if further adjustments are needed. Do not swim in the water if the bromine residual is above 8 ppm.

STORAGE AND DISPOSAL

Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area away from heat, open flames, sunlight and other chemicals. DO NOT REUSE EMPTY CONTAINER. Rinse empty container thoroughly with water and discard in trash.

ACCEPTED

SEP 21 1989

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
or under Fed. for the pesticide
reg. act under
EPA Reg. No. 1729-131

