

CYTOX® 4310 Industrial Biocide

(FOR CONTROL OF BACTERIA, YEASTS, AND FUNGI IN PAPERMILL WATER SYSTEMS)

CAUTION! KEEP OUT OF REACH OF CHILDREN HARMFUL OR FATAL IF ABSORBED THROUGH SHA CCEPTED

CAUSES IRRITATION

HARMFUL IF SWALLOWED

Do not get in eyes, on skin, on clothing. Avoid breathing vapor or mist. Use with adequate ventilation.

Keep container closed.

Wear rubber gloves and goggles or face shield when handling concentrate.

Wash thoroughly after handling.

FIRST AID. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes; call a physician.

CAUTION: TREATED WATERS MAY BE HARMFUL TO FISH AND OTHER WILDLIFE

ACTIVE INGREDIENTS:


Sodium pentachlorophenate	13.2%
Sodium 2,4,5-trichlorophenate	6.0%
Sodium salts of other chlorinated phenols	1.8%
n-Propanol	7.5%
INERT INGREDIENTS	71.5%

USDA Reg. No. 1730-

Net Contents: 54 Gallons (500 Pounds

5-18-68

ED UNDER NO



DIRECTIONS FOR USE

CYTOX * 4310 is added to the papermill white-water system at a rate of 0.4 to 2.2 pounds of product per ton of paper. The exact dosage will depend upon operating conditions and extent of microbiologic contamination of the system. It is recommended that the total daily dosage be added as a shock dosage within a two- to four-hour period. If slime buildup is heavy, it may be necessary to add the required dosage of CYTOX 4310 within a two-hour period of each eighthour shift.

As an alternate method of application, CYTOX 4310 may be metered continuously into the system at the recommended dosage.

DRUM DISPOSAL: Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

ACCEPTED WITH COMMENTS

L3828 R1 LN

Industrial Chemicals Division

WAYNE, N. J.