

NEW

BOWL

GARD III

AUTOMATIC TOILET BOWL CLEANER

ACTIVE INGREDIENT:

Calcium Hypochlorite 60.0%

INERT INGREDIENTS: 40.0%

100.0%

Available Chlorine Content: 60.0%

EPA Reg. No. 1730-56 EPA Est. No. 1730-MS-1

DANGER: KEEP OUT OF REACH OF CHILDREN.
See side panel for other precautions.

NET WT. 1.4 OZ. (40 GRAMS)

NEW

BOWL

GARD III

AUTOMATIC TOILET BOWL CLEANER

- Cleans and deodorizes with every flush
- Provides 99.9% reduction of germs for at least one month
- Eliminates need for frequent scrubbing
- Safe for plumbing — easy to use

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive, causes eye and skin damage (or skin irritation). Do not get in the eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Mix only with water. Once the product is placed in the water tank of the toilet, do not remove until all material has completely dissolved.

FIRST AID: In case of eye or skin contact, flood with water for 15 minutes. For eyes, call physician immediately. If skin irritation persists, see physician. If swallowed, give 1-2 glasses of water; follow with egg white or milk of magnesia. Call physician immediately.

NEW

BOWL

GARD III

AUTOMATIC TOILET BOWL CLEANER

JAN 1 1986

1730-56
RECEIVED

- Cleans and deodorizes with every flush
- Provides 99.9% reduction of germs in toilet bowl water after each flush
- Safe for plumbing — easy to use
- Eliminates need for frequent scrubbing
- For at least one month

BOWL GARD III[®]

AUTOMATIC TOILET BOWL CLEANER

ACCEPTED

JAN 18 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act amended, for the pesticide registered under PA Reg. No. 1730-56

New

New

BOWL GARD III[®]

AUTOMATIC TOILET BOWL CLEANER

New BOWL GARD II keeps your toilet bowl clean for at least one month. Its active ingredient reduces by 99.9%, after each flush, the germs that help cause bowl stain and odor, even in heavily used toilets. BOWL GARD II is a unique system that dispenses cleaning and bleaching ingredients with every flush, eliminating need for frequent scrubbing. BOWL GARD II is safe for plumbing, fits most tanks, and is easy to use. Water remains crystal clear so you can see the clean. Bowl water can be used for diaper rinsing. Use in all toilets in the home.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

With an average usage of ten flushes per day, BOWL GARD II will be an effective sanitizer for one month.

Thoroughly clean toilet bowl surfaces, especially under the rim, prior to installation of this product. Remove toilet tank cover and immerse BOWL GARD II so it hangs upright close to the bottom of the tank. Adjust the hanger and hook it over the edge of the tank near the center of either the front or the back wall. Replace cover. Replace after one month or 300 flushes. Unusual situations may cause stains to appear over time. When this occurs, flush, brush bowl surface with bowl water, then flush again.

DISPOSAL:

Carefully lift product. Hold over tank and tip to drain all water from each hole. Water contains bleach. Avoid eye, hand, skin or fabric contact with solution. Wrap in plastic bag and discard in regular trash collection. Do not crack dispenser.



American Cyanamid Company
Household Products Division
Wayne, NJ 07470



BOWL GARD III[®]

AUTOMATIC TOILET BOWL CLEANER

- Cleans and deodorizes with every flush for at least one month
- Eliminates need for frequent scrubbing
- Provides 99.9% reduction of germs in toilet bowl water after each flush
- Safe for plumbing — easy to use

New

RECEIVED
10-26-82

ACCEPTED

JAN 1 5 1993

1730-56

BOWL GARD III[®]

AUTOMATIC TOILET BOWL CLEANER

ACTIVE INGREDIENT: Calcium Hypochlorite 60.0%

INERT INGREDIENTS: 40.0%

100.0%

Available Chlorine Content: 60.0%

DANGER: KEEP OUT OF REACH OF CHILDREN.

EPA Reg. No. 1730-56 EPA Est. No. 1730-MS-1

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. With an average usage of ten flushes per day, BOWL GARD III will be an effective sanitizer for one month. Thoroughly clean toilet bowl surfaces, especially under the rim prior to installation of this product. Remove toilet tank cover and immerse BOWL GARD III so it hangs upright close to the bottom of the tank. Adjust the hanger and hook it over the edge of the tank near the center or either the front or the back wall. Replace cover. Replace after one month or 300 flushes. Unusual situations may cause stains to appear over time. When this occurs, flush, brush bowl surface with bowl water, then flush again.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes eye and skin damage (or skin irritation). Do not get in the eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Mix only with water. Once the product is placed in the water tank of the toilet, do not remove until all material has completely dissolved.

FIRST AID: In case of eye or skin contact, flush with water for 15 minutes. For eyes, call physician immediately. If skin irritation persists, see physician. If swallowed, give 1-2 glasses of water, to be with egg white or milk of magnesia. Call physician immediately.

DISPOSAL: Carefully lift product. Hold over tank and tip to drain all water from each hole. Water contains bleach. Avoid eye, hand, skin or fabric contact with solution. Wrap in plastic bag and discard in regular trash collection. Do not crack dispenser.



NET WT. 1.4 OZ.
(40 GRAMS)

10-06-82