

ACCEPTED

May 23, 1975. 1744-9

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND FUNGICIDE ACT
FOR ECONOMIC PEST CONTROL
UNDER NO.

DANGER: Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes; for eyes, call a physician. Avoid alcohol.

Rinse empty container thoroughly with water and discard it.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

FISH AND/OR WILDLIFE PRECAUTIONS


This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Apply this product only as specified on this label.

When Sunny Sol Algaecide is used as directed, it will kill and prevent development of *Chlorella pyrenoidosa* (green), *Phormidium nundatum* (black algae), *Phormidium retzii* (Square D algae), *Lyngea versicolor* (blue-green) and other swimming pool algae.

Sunny Sol Algaecide is compatible with most commonly used swimming pool chemicals, but should not be mixed with soap or other cleaners, or premixed with other water-treating chemicals. Sunny Sol Algaecide works best when added by itself directly to pool water. Sunny Sol Algaecide at use dilution is non-corrosive to inanimate surfaces.

FORM J-20

EPA Reg. No. 1744-9 EPA Est. 1744 N.Y.-3



JONES CHEMICALS, INC.
CALEDONIA, NEW YORK & PRINCIPAL CITIES



SUNNY SOL
BRAND

ACTIVE INGREDIENTS:

n-alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides	8.4%
n-dialkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
methylbenzyl ammonium chlorides	1.6%
Inert Ingredients	90.0%

DANGER:
Keep Out of Reach of Children.

SEE OTHER PRECAUTIONS ON THE SIDE PANEL

DIRECTIONS

Initial Dose: 1 gallon Sunny Sol Algaecide to 50,000 gallons of water.

Maintenance Dose: 1 quart Sunny Sol Algaecide to 50,000 gallons of water.

Initial dose is used when filling pool at beginning of swimming season. If pool has visible algae growth treat with initial dose. Vacuum pool after 24 hours to remove algae debris. If visible algae are still present or re-appear, repeat this treatment procedure as necessary. When pool is free of visible algae, use the recommended dose.

Maintenance dose should be added at 3-5 day intervals. If high temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently.

If make-up water is added at the rate of more than 10% per week of pool capacity, add 1 quart of Sunny Sol Algaecide for each 10,000 gallons of fresh make-up water added per week.

When swimming season is over, add 1 gallon of Sunny Sol Algaecide to 50,000 gallons of water in treating water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

LOCKER ROOM DISINFECTION:

Guard against spread of athlete's foot fungi by mopping walkways, poolside and locker room floors with solution of Sunny Sol Algaecide and Disinfectant. Use it also to disinfect bathing suits and caps.

1. Clean floors and runways with suitable detergent, then mop with solution containing one ounce Sunny Sol Algaecide and Disinfectant per 5 gallons of water. Apply so as to thoroughly wet surfaces with the recommended solution.

2. After washing, immerse suits and caps for ten minutes in solution containing one ounce Sunny Sol Algaecide and Disinfectant per 5 gallons of water. Wring and hang to dry.