

EPA United States Environmental Protection Office of Pesticide Programs

DEC 2 4 2009

Timothy J. Gaffney **Executive Vice President** JCI Jones Chemicals, Inc. 100 Sunny Sol Boulevard Caledonia, New York 14423 FILE CORY

Subject:

Sunny Sol Bleach

EPA Registration No. 1744-20004 Application Date: November 24, 2009 Receipt Date: November 30, 2009

Dear Mr. Gaffney:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

Revision to "Storage and Disposal" statement per PR Notice 2007-4

General Comments:

Based on a review of the material submitted, the following comment applies:

and the second of the second o

The notification application is acceptable and a copy has been inserted in your file for future reference.

-- Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson

Acting Product Manager (32) Regulatory Management Branch II

Antimicrobials Division (7510P)

Please read instructions	on reverse before Impleting !	orm.	Form Ap	pprov	OMB No. 20	070-0060	as astructormass
United States Environmental Protection of Washington, DC 20460			ency	Х	Registration Amendment Other		OPP Identifier Number
,	App	lication for	Pesticide - Se	ction	!		···
1. Company/Product Number 1744-20004			Emily Mitchell				None Restricted
4. Company/Product (Name) Sunny Sol Bleach			PM# 32				. لــا
JCI Jones C 100 Sunny S Caledonia,	Applicant (Include ZIP Code) Themicals, Inc. ol Boulevard New York 14423 This is a new address			et is sim	ilar or ident	ical in co	FIFRA Section 3(c)(3) mposition and labeling
	g, garget Anto	Sec	ction - II	and the second			e na graz proto som na min martiniferom minor i n
Amendment - Explain below. Resubmission in response to Agency letter dated							- Special Control Con
complete	torage and Disposa explanation stateme for "Refillable Co	ent require ontainers"	d by PR Noti	ce 20	07-4	We have	included
1. Material This Produc	t Will Be Packaged In:						
Child-Resistent Packegi X Yes* No * Certification mus be submitted	Yes No If "Yes" No Unit Packaging wgt. co	X D. per if "Ye	Yes No No: No: pe wgt contai		2. Type of X	Metal Plastic Glass Paper	pecify) Tank truck
3. Location of Net Cont		ize(s) Retail Conta	iner l	5. Lo	cation of Lab	ol Direction	ns ·
X Label	Container Tan	k truck, to 5, and 1	ote, 55, 30, gallon		On Label		panying product
6. Manner in Which Lab	el is Affixed to Product	Lithograph Paper glued Stenciled	aph X Other <u>Pressure Sensitive (Stic</u> k On) glued ed				
		Seç	tion - IV				
1. Contact Point (Comp	plete items directly below for ide	entification of indi	vidual to be contacte	d, if nec	essary, to pr	ocess this	application.)
Name Timothy I Coffnor		Title					No. (Include Area Code)
Timothy J. Gaffney			ecutive Vice President (585)			(585)	538-2314 6. Date Application
1	statements I have made on this et any knowingly false or mislea			•		•	Received (Stamped)
2. Signature	x Hallo	3. Title Exect	ıtive Vice P	resid	ent	a gara ing at say san sa ang say ing garantan man ang say ing garantan pang ang say ing garantan pang ang say ing say say	The state of the s
4. Typed Name	110000	5. Date					The state of the s
Timothy J. (Gaffney	1 1	Jou. 24	1, 7	009		



November 24, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency 1200 Pennsylvania Avenue, NW Washington, D.C. 20460-0001

RE: JCI Jones Chemicals, Inc., EPA Company Number 1744

Response to PR Notice 2007-4

Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment"

Dear Sir or Madam,

Enclosed please find an Application for Pesticide Notification (EPA Form 8570-1) and one copy of the product labeling for the following product registered by JCI Jones Chemicals, Inc. with the United States Environmental Protection Agency:

EPA Registration Number 1744-20004 Sunny Sol Bleach

This "Notification" is being submitted in response to PR Notice 2007-4 (labeling changes in regards to the "Storage and Disposal" statements). Please note that we have included one label for "Refillable Containers" and one label for "Non-Refillable Containers". Please return one "USEPA Stamped Approved" copy of both labels to me once you have approved this Notification.

Please contact me at (585) 538-2314 if you have any questions or require additional information.

Very truly yours,

JCI Jones Chemicals, Inc.

Timothy J. Gaffney

Executive Vice President

TJG:tg

Enclosure



7826NR (non refillable) Will not print on finished copies

1744--FL-1 1744--IN-1 1744--MI-1 1744--NC-2 1744--NH-1 1744--NY-1

1744--CA-1

1744--NY-2 1744--OH-1

1744--VA-1

1744--WA-1

Manufactured By:
JCI Jones Chemicals, Inc.
100 Sunny Sol Blvd.
Caledonia, NY 14423
EPA Registration Number 1744-20004
EPA Establishment Number:
(Put an "X", in permanent ink next to the appropriate establishment above)

NOTIFICATION 24/09
Date Reviewed: 12/24/09
Reviewed By: 14/14/15 27

FIRST AID IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS: DANGER: Corrosive. May cause severe
skin irritation or chemical burns to broken skin.
Causes eye damage. Do not get in eyes, on skin,
or on clothing. Wear goggles or face shield and
rubber gloves when handling this product. Wash
after handling. Avoid breathing vapors. Vacate
poorly ventilated areas as soon as possible. Do not
return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or regional office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water according to label directions. Mixing this product with gross fifth such as feces, urine,etc., or with ammonia, acids, detergents, or other chemicals may release hazardous gasses irritating to eyes, lungs and mucous membranes.

Hypochlorite Solutions UN 1791, PG III CAS#: 7681-52-9 RQ: 100 Pounds

SUNNY

STORAGE AND DISP

PESTICIDE STORAGE: Storand heat to avoid deterioral or cleaning of equipment. In Product or rinsates that car in sanitary sewer.

PESTICIDE DISPOSAL: Pes pesticide, spray mixture or be disposed of by use accc or Environmental Control A EPA Regional Office for gui

CONTAINER HANDLII
NON-REFILLABLE CONTAI
available or place in trash c

CONTAINER CLEANING: Tr after emptying.

Triple Rinse: If container ha Empty remaining contents i with water. Replace and tigl ensuring at least one compl tip it back and forth several forth several times. Empty t rinsate for later use or disp

If the container has a capac Empty the remaining conter 10 seconds after the flow be recap. Shake for 10 second mix tank or store rinsate for the flow begins to drip. Rep

Pressure Rinse: Pressure r application equipment or mi begins to drip. Hold contain or collect rinsate for later us container, and rinse at abou after the flow begins to drip.

Corporate Office: Sarasota, FL. Branch Locations: Caledonia, NY; Warwick, NY; Barberton, OH; Riverview, MI; Merrimack, NH; Charlotte, NC; Jacksonville, F

SUNNY SOL BLEACH

STORAGE AND DISPOSAL:

PESTICIDE STORAGE: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. Do not contaminate food or feed by storage, disposal, or cleaning of equipment. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in sanitary sewer.

PESTICIDE DISPOSAL: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

NON-REFILLABLE CONTAINER: Do not reuse or refill this container. Offer for recycling if available or place in trash collection.

CONTAINER CLEANING: Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple Rinse: If container has a capacity greater than five (5) gallons, triple rinse as follows: Empty remaining contents into application equipment or mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and q tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

If the container has a capacity of five (5) gallons or less, triple rinse as follows: Empty the remaining contents into application equipment or mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure Rinse: Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

IH: Charlotte, NC; Jacksonville, FL; Beech Grove, IN; Milford, VA; Tacoma, WA; Torrance, CA

KEEP OUT OF REACH OF CHILDREN DANGER (See first aid on side panel).

ACTIVE INGREDIENT (NOMINAL CONCENTRATION): SODIUM HYPOCHLORITE :-----5.25% INERT INGREDIENTS : -----94.75%

DIRECTIONS FOR USE: IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Note: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine. **SWIMMING POOL WATER DISINFECTION**

For an new pool or spring start-up, superchlorinate with 128 to 256oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain alkalinity of the pool to between 50 to 100ppm. To maintain the pool, add manually or by a feeder device 25oz, of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 f

kits. Frequency of water treatment will depend upon temperature and number of swimmers. Every 7 days, or as necessary, superchlorinate the pool with 128 to 256oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit, Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from pool, chlorine must be allowed to dissipate from treated water before discharge. Do not chlorinate the pool within 24 hours prior to discharge. WINTERIZING POOLS - While water is still clear & clean, apply 6oz. of product per 1000 gallons, while filter is still running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instructions.

DISINFECTION OF DRINKING WATER

PUBLIC SYSTEMS: Mix a ratio of 4oz. of this product to 100 gallons of water. Begin feeding this solution with a hypochlorinator until a free available chlorine residual of at least 0.2 ppm and no more then 0.6 ppm is attained throughout the distribution system. Check water frequently with a chlorine test kit. Bacteriological sampling must be conducted at a frequency not less than that prescribed by the National Primary Drinking Water Regulations. Contact your local Health Department for further details.

SEWAGE AND WASTEWATER EFFLUENT TREATMENT The disinfection of sewage effluent must be evaluated by determining the total number of coliform bacteria and/or fecal coliform bacteria, as determined by the Most Probable Number (MPN) procedure, of the chlorinated effluent has been reduced to or below the maximum permitted by the contolling regulatory jurisdiction.

On the average, satisfactory disinfection of secondary wastewater effluent can be obtained when the chlorine residual is 0.5 ppm after 15 minutes contact. Although the chlorine residual is the critical factor in disinfection, the importance of correlating chlorine residual with bacterial kill must be emphasized. The MPN of the effluent, which is directly related to the water quality standards requirements, should the final and primary standard and the chlorine residual should by considered an operating standard valid only to the extent verified by the coliform quality of the effluent. The following are critical factors affecting wastewater disinfection.

1. Mixing: It is imperative that the product and the wastewater be instantaneously and completely flash mixed to assure reaction with every chemically active soluable and particulate component of the wastewater.

2. Contacting: Upon flash mixing, the flow through the system must be maintained.

3. Dosage/Residual Control: Succesful disinfection is extremely dependent on response to fluctuating chlorine demand to maintain a predetermined, desirable chlorine level. Secondary effluent should contain 0.2 to 1.0 ppm chlorine residual after a 15 to 30 minute contact time. A reasonable average of residual chlorine is 0.5 ppm after 15 minutes contact tin Please contact your local JCI Jones Chemicals, Inc. office for additional directions for use.

Net Contents:



