

CATTLE OIL

Contains KORLAN*

- *KORLAN® Trade mark of DOW CHEMICAL CO.
- *From technical grade; not suitable for internal use in animals.

ACTIVE INGREDIENTS:

Ronnel [O,O-Dimethyl O-(2,4,5,-trichlorophenyl)	
phosphorothioate]	1.0%
Mineral Oil	98.5%
'ERT INGRREDIENTS	0.5 %

Livestock Remedy — Not for Human use

FOR USE IN MECHANICAL OILERS (BACKRUBBERS) USES

For hornflies. Aids in the control of lice if used continuously. Aids in the control of face flies if backrubbers are placed so animal can rub face.

Place where animals travel regularly or congregate.

A tolerance has been established for this chemical so it may be used on lactating dairy animals and on beef animals right up to time of slaughter.

Ready to use. Do not dilute. Use in all types of livestock oilers. In automatic oilers, fill when necessary. With hurlap oilers, use one gallon of oil to 20 feet of oiler.

Avoid contamination of feed, food and water. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

CAUTION

OF CHILDREN KEEP OUT OF REACH

Harmful if swallowed. Avoid skin contact. Wash thoroughly after using.

Note to Physician: Ronnel is a cholinesterase inhibitor. Atropine is an antidote. Treat symptomatically.

E. P. A. Registration No. 1737-10

Net Contents Gals.

Sold By

ARCHER PETROLEUM CORP.
OMAHA, NEBRASKA

ACCEPTED WITH COMMENTS

Contains DIAZINON — Kills Where Others Fail


ROACHES : WATERBUGS

Distributed By

CERTOX CHEMICAL CO. Garden City Park, N. Y.

Net Contents One-Half U. S. Gallon --- 64 Fl. Ounces

KEEP OUT OF REACH OF CHILDREN.



TOTAL ACTIVE INGREDIENTS 100%

Petroleum Distillates.

*0,0 diethyl 0-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate **Technical Piperonyl Butoxide.

Pyrothrins.

**Equivalent to (butylcarbityl) (6-propylpiperonyl) ether and other related compounds.

EPA REG. NO. 1748-43 *Diazinon.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

CAUTION — COMBUSTIB

N.Y.F.D. C. of A. No. 40 DO NOT USE NEAR FIRE OR

DIRECTIONS FOR

For Roaches, Ants, Waterbugs, Silverfi Use heavily in all cracks, around be places where these insects hide. A surfaces behind and beneath cabinets stoves, etc. Use on other localized these pests. Repeat treatment as re Carpet Beetles: Make localized applic floor and baseboards. Spray direc under carpets where insects may be f as necessary.

Brown Dog Ticks: Thoroughly spray is baseboards window and door frame peated as infestations warrant, /ai occur. Fresh bedding should be place following treatment. Do not trea formulation.

Flies, Mosquitoes, Wasps and Flyin For outdoor use only as an aid in from these insects. Spray outside doors, window frames or wherever enter the room. Also treat surfaces on porches, in garages, and other insects alight or congregate.

SPRAY INFESTED SURFACES C

CAUTION: HARMFUL IF SWALLOWED. OF CHILDREN. AVOID CONTAMINA FOODSTUFFS. AVOID REPEATED OR TION AND SKIN CONTACT: WASH USING. DO NOT USE ON HOUSEHOL

IN FOOD HANDLING FOR ROACH LOTABLISHM TTHIN FOOD AREAS APPLICATIO LIMITED TO TLACK AND CREVICE

TREATTEN Apply a smill amount of material directly into cracks and crevices such as expansion joints between different elements of construction cracks and closets, and infested areas or between a minment bases and the floor, will voids, motor housing, junition boxes or switch boxes, conducts or hollow equipmenting quarters of household pets and begs where tackroaches hide. Jare should it taken to avoid demositing the product onto expesed suttrees or introducing the material into the air. Avoid conterinat' - of food or food militars, or offices.

" this product in the ford handling establishment, other than as a nio ser at the entreptment, the free to the same of the


Contains DIAZINON — Kills Where Others Fail

Distributed By

CERTOX CHEMICAL CO. Garden City Park, N. Y.

Net Contents One-Half U. S. Gallon — 64 Fi. Ounces

KEEP OUT OF REACH OF CHILDREN.



TOTAL ACTIVE INGREDIENTS 100%

Petroleum Distillates.

- *0,0 diethyl 0-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate **Technical Piperonyl Butoxide. Pyrethrins.
- **Equivalent to (butylcarbityl) (6-propylpiperonyl) ether and other related compounds.

EPA REG. NO. 1748-43 *Diazinon.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

CAUTION — COMBUSTIBL

N.Y.F.D. C. of A. No. 405 DO NOT USE NEAR FIRE OR (

DIRECTIONS FOR

For Roaches, Ants, Waterbugs, Silverfis Use heavily in all cracks, around bas places where these insects hide. All surfaces behind and beneath cabinets, stoves, etc. Use on other localized these pests. Repeat treatment as rec Carpet Beetles: Make localized applica floor and baseboards. Spray direct under carpets where insects may be fo as necessary./

Brown Dog Ticks: Thoroughly spray in baseboards window and door frames peated as infestations warrant, and occur. Fresh bedding should be placed following treatment. Do not treat formulation.

Flies, Mosquitoes, Wasps and Flying For outdoor use only as an aid in t from these insects. Spray outside s doors, window frames or wherever enter the room. Also treat surfaces on porches, in garages, and other insects alight or congregate.

SPRAY INFESTED SURFACES OF

CAUTION: HARMFUL IF SWALLOWED. I OF CHILDREN. AVOID CONTAMINAT FOODSTUFFS. AVOID REPEATED OR P TION AND SKIN CONTACT: WASH T USING. DO NOT USE ON HOUSEHOLD

IN FOOD HANDLING FOR ROACHES ESTABLISHM ITT:

APPLICATIONS WITHIN FOOD AREAS TRACK AND CREVICE LIMITED TO TREATMENT OF LY!

Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction cracks and closets, and infested areas or between equipment bases and the floor, will voids, motor housing, juntition boxes or switch boxes, cond ... ts or hollow equipmenting quarters of household pets and legs where ::ckroaches hide. Care should := taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing Eurfaces.

application of this product in the food areas if food handling establishme ts, other than as a crack and a finite treatment, are not jermitie.

Compression of the second of t

FOR SEASON DE VILLE DE LA LIBERTA DE LA CONTROL DE LA CONT

CAUTION — COMBUSTIBLE MIXTURE

N.Y.F.D. C. of A. No. 4050

DO NOT USE NEAR FIRE OR OPEN FLAME

DIRECTIONS FOR USE

FOR ROACHES IN FOOD HANDLING ESTABLISHME MITTE:

APPLICATION LITHIN FOOD AREAS LIMITED TO TRACK AND CREVICE TREATMINT COLY!

Apply a small amount of material directly into cracks and crevices such as expansion joints between or between equipment bases and the floor, wall voids, motor housing, juntion boxes or switch legs where a ckroaches hide. Care should to taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

application of this product in the food areas if food handling establishments, other than as a crack and cravice treatment, are not dermitted.

For Roaches, Ants, Waterbugs, Silverfish, Spiders, Crickets: Use heavily in all cracks, around baseboards and other places where these insects hide. Also apply until wet, surfaces behind and beneath cabinets refrigerators, sinks, stoves, etc. Use on other localized areas infested with these pests. Repeat treatment as required.

Carpet Beetles: Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, different elements of construction cracks and closets, and infested areas of shelvings. Repeat as necessary.

Brown Dog Ticks: Thoroughly spray infested areas around baseboards window and door frames, wall cracks, sleepboxes, conduits or hollow equipmenting quarters of household pets and localized areas of floors and floor coverings. Applications should be repeated as infestations warrant, and as reinfestations occur. Fresh bedding should be placed in animal quarters following treatment. Do not treat animal with this formulation.

> Flies, Mosquitoes, Wasps and Flying Moths Outdoors: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens. doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate.

> SPRAY INFESTED SURFACES ONLY UNTIL WET.

CAUTION: HARMFUL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN. "AVOID CONTAMINATION OF FEED AND FOODSTUFFS. AVOID REPEATED OR PROLONGED INHALA-TION AND SKIN CONTACT: WASH THOROUGHLY AFTER USING. DO NOT USE ON HOUSEHOLD PETS OR HUMANS.

and the state of the control of the state of

The state of the s

ACCEPTED

MAR 15 1934

UNDER I FEBERAL PALL MOTHE FUNGICIDE AND CODENTICIDE ACT ED UNDER NO. / 343-13 BUBIEST TO ATTACHED COMPLETES.