

Pantry Pests—exposed states (Saw-Toothed Grain Beetle, flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian Meal Moth): Apply a 1/2% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying.

Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

Brown Dog Ticks in Buildings: Make thorough applications of 1/2 % York Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animals quarters following treatment. Do not treat animals with this formulation.


LAWN INSECTS

To control insects listed below, apply recommended rates. For insects such as Ants, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Fleas, Millipedes, Sowbugs, and collembola (Spring-tails), which are commonly found near the house and may enter the house, spray a 5-ft. bank of soil around the house, as well as the house foundation wall to a height of 2-3 ft. Repeat application if necessary.

Boxelder Bugs: Spray Bugs outside the home with 1-1/4—2-1/2 fl. oz. (2-1/2—5 tablespoons) in one gal. of water. At the same time, spray thoroughly around foundation, windows, doors, tree trunks and into cracks and other places where insects hide.

Insects	Rate Per 1,000 sq. ft. of York Diazinon 4E Insecticide	Water	Remarks
Lawn Chinch Bugs	2-3 fl oz or 3-6 fl oz	25 gal *	Use higher rate for longer residual control and in lawns of dense growth, such as St Augustine Lawns
Ants, Armyworms, Clover Mites, Collembola (Springtails), Crickets, Cutworms, Digger Wasps, Earwigs, Frit Flies, Lawn Billbugs, Sod Webworms (Lawn Moths), Sowbugs	4 fl oz	3 gal	Spot spray ant hills & wasp ground nest openings. For lawn billbugs, irrigate the lawn thoroughly immediately after treatment. For Frit flies, mow grass and water well before treatment but delay application until grass is dry. Do not water again until necessary.
Brown Dog Ticks, Bermuda Mites, Chiggers, Fleas, Leafhoppers, Ticks	1-1/4 fl oz	3 gal	Do not apply to animals. For brown dog ticks, spray grass and under shrubbery, particularly near house.
Millipedes	8 fl oz	3 gal	
Rhodes Grass Scales	5 fl oz	25 gal *	Apply when crawlers first emerge

*Alternatively, make application in 3 gals. of water per 1,000 sq. ft. and water thoroughly immediately following application.



DIAZINON® 4E*

INSECTICIDE CONCENTRATE

FOR USE BY PEST CONTROL OPERATORS ONLY

For Control of Cockroaches (Waterbugs), Carpet Beetles, Spiders, Scorpions, Ants, Silverfish, Pantry Pests, Brown Dog Ticks and Turf Pests.

Contains 4 lbs. of Diazinon* per gallon.

WARNING: KEEP OUT OF REACH OF CHILDREN!

Read Complete Precautions and Directions Before Use.

ACTIVE INGREDIENTS:

0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	47.50%
Aromatic Petroleum Derivative Solvent	30.07%
INERT INGREDIENTS:	22.43%
*Diazinon®—Registered Trademark of CIBA-Geigy Corporation.	100.00%

WARNING: May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, livestock. Do not permit children or pets to go onto the sprayed grass or sprayed areas until spray has completely dried.

THIS PRODUCT IS TOXIC TO FISH, BIRDS AND OTHER WILDLIFE. Keep out of any body of water. Do not contaminate water by cleaning equipment or disposal of waste. Birds feeding on treated areas may be killed. Apply this product only as specified on this label. Do Not Apply where Runoff is likely to occur. Do Not Apply When Weather Conditions Favor Drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not reuse empty container. Destroy by perforating or crushing in a safe place away from water supplies.

Do not use, pour, spill or store near heat or open flames. Minimum Flash Point 105 deg. F.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of the product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller and the buyer assumes the risk of any such use.

E.P.A. REG. NO. 1748-122 N.Y.F.D. C of A 4050
E.P.A. EST. NO. 904-NJ-1 Net Contents Gallon/s

MANUFACTURED FOR:
YORK CHEMICAL CO., INC.
195 Atlantic Avenue
Garden City Park, New York 11040