Best Maintenance Supply Company 1922 East 7th Place Los Angeles, CA 90021

Attention: Gene L. Kingsley General Manager

BEST AVAILABLE COPY

Gentlemen:

Subject: DC-6

EPA Registration No. 1750-11 Your Submission Dated April 26, 1985

A review of your submission follows:

- 1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. The statement Active Ingredient should be singular.
 - b. Delete the percentage, "3.96%" following words Active Ingredient in the ingredient statement. It is misleading.
 - c. Laber should bear a statement, preferably below the ingredient statement, "Contains sodium nitrite."

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

- A stamped copy of the labeling is enclosed for your records.
- Your Confidential Statement of Formula is unacceptable. Submit a revised Confidential Statement of Formula with the following corrections.
 - a. Declare the full trade mans of the nonylphenol polyethoxylate
 e.g., Careanon M-9 from Lonza, Inc.

CONCURRENCES								
BYMBOL P								
BURNAME]						
DATE			**************************************					

EPA Form 1320-1 (4-81)

OFFICIAL FILE COPY

- b. Declare the trade name of the EDTA in your formulation. It must be a 38% active EDTA or calculation corrections may be required.
- 3. It has been noted that you will submit the requested efficacy data within one year as outlined in our letter dat 1 February 11, 1985 (item #3).

Sincerely yours,

John H. Lee Product Manager (31) Disinfectants Branch

Registration Division (TS-767C)

Enclosure

RD/DIS:JOB-90911:Lee:RD-39:Kendrick:898-1270:6/25/85:Del.7/8/85:EX

Precautionary Statemen's Hazardous to Humans and Domestic Animals DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call physician immediately.

NOTE TO PHYSICIAN. Probable mucosal damage may contraindicate the use of gastric lavage Measures against circulatory shock, respiratory depression, and convulsion may be needed

STORAGE AND DISPOSAL

- -Do not contaminate water, food, or feed by storage or disposal
- -Do not store on side
- -- Avoid creasing or impacting of side walls

PESTICIDE DISPOSAL

Pesticide wastes are acutely haza dous Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be sposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in the Linter Transaction of the Linter Transact

Do not reuse empty container. Wrap container and put in trasli-

For Sale For Use And Storage By Maintenance Personnel Only

WILL COMMENTS

AC

TO

ปซ่าง 2 8 1985

Figure 10, 10, 10, 10, 25, amended, for 11, personal under EPA Roll 17, 50, -11

BEST AVAILABLE COPY

1750-11

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTS

DC-6 is recommended for pre-cleaned, hald, non-portus, inanimate surfaces. For heavily soiled areas, a preliminary cleaning is required to disinfect, apply with a mop, cleth or sponge to pre-cleaned surfaces and allow to remain wet for 10 minutes.

FOR GENERAL DISINFECTING

When disinfecting cleaned, hard, non-porous, inanimate surfaces suspected of being contaminated, apply a disinfecting solution of 1½ oz. per gallon of water very liberally. allowing a contact time of at least 10 minutes or more. Remove soiled solution and follow with second application.

REST ROOMS -- LOCKERS ROOMS -- SHOWERS

Wash all soiled areas with a disinfecting solution of 1½ oz. or more of DC-6 per gallon of water. Do not rinse.

FLOORS -- WALLS -- WOODWORK

Normal or slightly soiled areas -- daily cleaning with a disinfecting solution of 1½ oz. DC-6 per gallon of water helps to control cross contamination on hard, inanimate surfaces. Do not rinse.

For heavily soiled areas, follow with second application using fresh DC-6 solution of the same concentration

HOSPITALS

OC-6 is excellent for helping to maintain a sanitary condition in Hospitals, Rest Homes, Sanitariums and other institutions. In all cases, follow the recommendations listed.

