

1
AFTER

1750-51 P231 10/1

NOT REVIEWED - Received per PR Notice 88-6

#6102

DC-6 PLUS

Disinfectant-Cleaner-Sanitizer-Fungicide-Mildewstat-Virucide*-Deodorizer for Schools, Non-Medical Institutional and Industrial Use
Effective in hard water up to 400 ppm hardness (calculated as CaCO₃) in the presence of 5% serum contamination

EPA Registration No. 1750-51

EPA Establishment NO. 1658-MO-01

Active Ingredients	
Octyl decyl dimethyl ammonium chloride	1.2%
Diocetyl dimethyl ammonium chloride	0.6%
Didecyl dimethyl ammonium chloride	0.6%
Alkyl (C ₁₂ , 50%; C ₁₄ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	1.6%
Inert Ingredients	96.0%
Total	100.0%

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DC-6 Plus is a proven "one-step" disinfectant-cleaner-sanitizer-fungicide-mildewstat-virucide which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination.

Apply DC-6 Plus to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection - To disinfect hard, non-porous surfaces, add 2 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. The activity of DC-6 Plus has been evaluated in the presence of 5% serum and 400 ppm hard water by the AOAC use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by:

- | | | | | | |
|------------------------|-------------------------|-----------------------------|------------------------|-----------------------|------------------------|
| Staphylococcus aureus | Salmonella choleraesuis | Escherichia coli | Streptococcus pyogenes | Klebsiella pneumoniae | Enterobacter aerogenes |
| Streptococcus faecalis | Shigella dysenteriae | Brevibacterium ammoniagenes | Salmonella typhi | Serratia marcescens | |

Fungicidal Performance - DC-6 Plus is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc., at 2 oz./gallon.

Mold and Mildew Control - At 2 oz./gallon, DC-6 Plus will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance - *At 2 oz. per gallon use-level, DC-6 Plus was evaluated in the presence of 5% serum and 400 ppm hard water and found to be effective against the following viruses: Influenza A/Brazil, Herpes Simplex Type 1 and Vaccinia on inanimate hard, non-porous environmental surfaces.

Sanitizing-Non-Food Contact Surfaces (such as floors, walls, tables, etc.). At 1 oz. per 2 gallon use-level, DC-6 Plus is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae on hard, porous and non-porous environmental surfaces. Treated surfaces must remain wet for 90 seconds.

PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Do not store on side. Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

FOR SALE FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY.

