

BIOSPERSE

FOR CONTROL OF SLIME AND /

ACTIVE INGREDIENTS

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) Dimethyl Benzyl Ammonium Chlorides	12.6%
n-Alkyl (55% C ₁₄ , 25% C ₁₂ , 17% C ₁₆ , 3% C ₁₈) Methyl Isoquinolinium Chlorides	9.0%
Dinormal Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) Methyl Benzyl Ammonium Chlorides	2.4%
INERT INGREDIENTS*	76.0%

*Includes wetting and dispersing agents.


FOR INDUSTRIAL USE ONLY

This product helps control slime growths in colling towers, air washers, evaporative condensers and similar recirculating water systems. It should be added directly to the sump, either continuously or as needed, at a dosage of 10-100 ppm. For specific applications, consult your Drew Service Engineer.

Contents - Liquid
Net Weight - As Marked on Drum

BIOSPERSE 214

CONTROL OF SLIME AND ALGAE



FOR INDUSTRIAL USE ONLY

This product helps control slime growths in cooling towers, air washers, evaporative condensers and similar recirculating water systems. It should be added directly to the sump, either continuously or as needed, at a dosage of 10-100 ppm. For specific applications, consult your Drew Service Engineer.

Contents - Liquid
Net Weight - As Marked on Drum

WARNING

BIOSPERSE 214 is a concentrated, powerful toxicant. It may cause skin or eye irritation and may be harmful if swallowed. Do not take internally.

Wear protective glasses and gloves when handling. In case of contact, flush with plenty of water.

KEEP OUT OF REACH OF CHILDREN

DREW CHEMICAL CORPORATION
NEW YORK, N.Y./BOONTON, N.J.