

BIOCIDIDE 286

ACCEPTED

APR 29 1968

U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR FUNGICIDE POISON REGISTERED
UNDER NO. 1757-33

FOR CONTROL OF BACTERIA AND

FOR INDUSTRIAL USE ONLY

ACTIVE INGREDIENTS	26%
Methylene Bisthiocyanate	6%
Isopropanol	20%
INERT INGREDIENTS*	74%
*Includes Dispersing Agents	

USDA REG. NO. 1757-33

Contents - Liquid
55 Gallons
See Markings on Top of Drum
For Net Weight

This product helps in the control of bacterial and fungal slime in pulp and paper mills. Dosages should be in the range of 0.01 to 0.5 lbs. of product per ton of stock depending upon the system being treated. Biocide 286 is an approved slimeicide for use in the manufacture of paper for food packaging. When used as an industrial preservative, dosage ranges will be 0.1 to 1% of Biocide 286 in the finished product. For application times, methods, intervals, specific treatment programs, or where critical results are essential consult your Drew Service Engineer.

DREW CHEMICAL CORPORATION

PROCESS CHEMICAL DIVISION
NEW YORK, N.Y. • BOONTON N.J.

Biocide 286
tation. Har
skin. Avoid
ation. Keep
heat or oper
when handl
mediately v
flush with p
cal attentio
re-use.

Keep

BIOCIDE 286

CONTROL OF BACTERIA AND FUNGI

FOR INDUSTRIAL USE ONLY

This product helps in the control of bacterial and fungal slime in pulp and paper mills. Dosages should be in the range of 0.01 to 0.5 lbs. of product per ton of stock depending upon the system being treated. Biocide 286 is an approved slimicide for use in the manufacture of paper for food packaging. When used as an industrial preservative, dosage ranges will be 0.1 to 1% of Biocide 286 in the finished product. For application times, methods, intervals, specific treatment programs, or where critical results are essential consult your Drew Service Engineer.

DREW CHEMICAL CORPORATION

PROCESS CHEMICAL DIVISION

NEW YORK, N.Y. • BOONTON, N.J.

WARNING

Biocide 286 is a toxic material. Causes eye burns and skin irritation. Harmful or fatal if swallowed or absorbed through the skin. Avoid breathing vapor or mist. Use with adequate ventilation. Keep container closed. Do not use, pour or store near heat or open flame. Wear goggles or face shield and rubber gloves when handling. Do not take internally. In case of contact, immediately wash skin with plenty of soap and water, for eyes flush with plenty of water for at least 15 minutes and get medical attention. Remove and wash contaminated clothing before re-use.

Keep Out of Reach of Children

1731-67