

AMERSTAT 282

FOR CONTROL OF THE GROWTH OF BACTERIA AND FUNGI

ACTIVE INGREDIENT 10%

Methylene bis(thiocyanate) 10%

INERT INGREDIENTS* 90%

* Includes Dispersing Agents

E.P.A. Reg. No. 1757-40

Net Contents: 55 Gallons Liquid
See Markings on Top of Drum
For Net Weight

SPECIALTY CHEMICALS DIVISION

Drew Chemical Corporation

Subsidiary of



UNITED STATES FILTER
CORPORATION

701 JEFFERSON ROAD, PARSIPPANY, N. J. 07054 • (201) 887-3300

ES-48P

FOR INDUSTRIAL USE ONLY

This product helps control the growth of bacterial and fungal slime in pulp and papermill process waters. For use-directions refer to the Product Data Sheet.

This product is toxic to fish, birds, and other wildlife.

Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

Do not reuse empty container. Container should be destroyed by perforation or crushing. Discard container in a safe place.

DANGER

KEEP OUT OF REACH OF CHILDREN

CORROSIVE

Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

SPECIALTY CHEMICALS DIVISION
Drew Chemical Corporation

UNITED STATES FILTER
CORPORATION

**PRODUCT
DATA
SHEET** SC-DS-8



WORLDWIDE SERVICE

AMERSTAT 282


GENERAL

Drew AMERSTAT 282 is a highly active slimicide specifically designed for use in pulp and paper mills for controlling the growth of bacterial and fungal slime.

AMERSTAT 282 is not recommended for use in potable water systems or where contamination of potable water can occur.

DESCRIPTION

Composition:	A blend of Methylene bis(thiocyanate) and dispersing agents.
Appearance:	A clear, red-amber liquid.
Flash Point:	-180.5 F (C.O.C.)
Odor:	Aromatic
Weight per U.S. Gallon:	8.6 pounds
Solubility:	Dispersible in water
Storage:	Avoid extreme heat or freezing.
Packaging:	55 gallon, lined steel drums.



DIRECTIONS

Dosage:

The dosage of AMERSTAT 282 for any given applications will depend on a number of factors such as the type of system being treated, the nature and extent of microbiological contamination, and the degree of control required. Where necessary, your Drew Service Engineer will arrange for microbiological and chemical analyses for resolution of specific site contamination problems.

Paper Mills:

Dosage will vary from 0.1 to 0.5 pounds (1.6 to 7.9 fluid ounces) of AMERSTAT 282 per ton of finished paper depending upon the type of stock, complexity of the system, quality of the raw water and degree of contamination.

FEEDING

AMERSTAT 252 is used to feed a wide range of materials into a wide variety of chemical feed systems. It is used in applications such as: chemical feed systems including the hydropulper, machine feed systems, etc.

Specific feeding points and methods will be determined by your Drive Service Engineer for your particular application.

CORROSIVE

Handling:

Causes eye damage and severe irritation. Do not get on eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician if more and wear contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.