

001760-00027-060999

Printed: 08:14:58 Tuesday, 13 Jul, 1999 # 15 / 3572

Systems Integration Group, Inc.

ł

.

1



UNITED STA



33 1760-27 6/9/44 poye 132

WASHINGTON, D.C. 20460

JUN 0 9 1999

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ampion Corporation 4-88 Forty-Seventh Ave. Long Island City, NY 11101

Attention: Rudolph H. Dworsak

Subject: Ampicide 9 EPA Registration Number 1760-27 Your Submission Dated May 19, 1999 EPA Received Date May 27, 1999

The submitted final printed labels have been placed in your product file. They have not been reviewed in accordance with the PR Notice 82-2.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely yours,

J Jeny /zen

Marshall Swindell Product Manager 33 Regulatory Management Branch I Antimicrobial Division (7505C)

| TO ANTIONIA DV CTATEMAENITE  |   |
|--|---|
| PRECAUTIONARY STATEMENTS<br>HAZARDS TO HUMANS AND DOMESTIC ANIMALS   | AMPICIDE 9  |
| DANGER: CORROSIVE. Causes irreversible eye damage or skin burns.<br>Harmful if swallowed or absorbed through skin. Do not get in<br>eyes,on skin,or on clothing. Prolonged or frequently repeated<br>skin contact may cause allergic reaction in some individuals.<br>Wash hands before eating,drinking,chewing gum,using tobacco<br>or using the toilet. Remove contaminated clothing and wash<br>clothing before reuse.  | ACTIVE INGREDIENTS:<br>Disodium cyanodithioimidocarbonate   |
| DIRECTIONS FOR USE<br>IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT<br>IN A MANNER INCONSISTANT WITH. ITS LABELING.   | INERT INGREDIENTS91.25%TOTAL100.00%This product contains 0.77 lb. of active ingredients per gallon and weighs 8.81 lb.per gallon.   |
| AMPICIDE 9 is used to control algap and bacteria in recirculating<br>commercial and industrial water cooling towers. Prior to its use,<br>systems must be cleaned to remove algal growth, microbiological<br>slime, and other deposits. An initial slug addition of 6.9 to 13.9<br>fluid ounces of AMPICIDE 9 per 1,000 gallons of water is recommended<br>Repeat initial dosage until control is evident.<br>Subsequent slug additions of 2.3 to 13.9 fluid ounces of AMPICIDE 9<br>per 1,000 gallons of water should be employed every 1-5 days as<br>needed. The frequency of addition depends upon the relative amount<br>of bleedoff and the severity of the microbiological problem. Slug<br>additions should be made in the sump of water cooling towers. | DANGER<br>KEEP OUT OF THE REACH OF CHILDREN   |
|  | STATEMENT OF PRACTICAL TREATMENT<br>IF IN EYES: Hold eyelids open and flush with steady,gentle stream<br>of water for 15 minutes. Get medical attention.  |
| STORAGE AND DISPOSAL   | IF ON SKIN: Wash with plenty of soap and water. Get medical attention.  |
| STORAGE - Store in original container at room temperature in<br>a well ventilated room away from food,feed,fertilizer and<br>other pesticides. Keep container closed when not in use.<br>DISPOSAL - Do not contaminate water,foof or feed by storage<br>or disposal. Pesticide wastes are acutely hazardous.<br>Improper disposal of excess pesticide,spray mixture or<br>rinsate is a violation of Federal Law. If these wastes cannot  | IF SWALLOWED: Call a physician or Poison Control Center. Do<br>not induce vomiting. Drinking promptly a large<br>quantity of milk,egg whites,gelatin solution or<br>if these are not available, drink large quantities<br>of water. Avoid alcohol. Note to Physician: Probable mucosal damage may contraindicate<br>the use of gastric lavage.  |
| be disposed of by use according to the label instructions,<br>contact your State Pesticide or Environmental Control Agency<br>or the Hazardous Waste Representative at the nearest EPA<br>Regional Office for guidance.<br>METAL CONTAINERS - Triple rinse (or equivalent). Then offer<br>for recycling or reconditioning or puncture and dispose of<br>in a sanitary landfill or by other procedures approved by<br>state and local authorities.<br>PLASTIC CONTAINERS - Triple rinse (or equivalent). Then offer<br>for recycling or reconditioning or puncture, and dispose of in<br>a sanitary landfill or incineration or burning. If burned,   | For open pouring of this product, workers must wear Goggles<br>or face shield. Chemical resistant gloves (such as Nitrole<br>Butyl, Neoprene and/or Barrier Laminate). Socks and footwea:<br>Long-sleeved_shirt' and long pants. Respirator with either<br>an organic vapor removing cartridge with a prefilter<br>approved for pesticides(MSHA/NIOSH approveal number pre-<br>fix TC-23C).   |
| A sanitary landfill or incineration or burning. If burned,<br>stay out of smoke.<br>Manufactured by:<br>Ampion Corporation<br>4.88 47th Avenue<br>Long Island City, NY 11101<br>EPA REG. NO. 1760-27<br>NET CONTENTS   | ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do<br>not discharge effluent containing this product into lakes,<br>streams, ponds, estuaries, oceans or other waters unless in<br>accordance with the requirements of a National 'Pollutant<br>Discharge Elimination System (NFDES) permit and the permitting<br>authority has been notified in writing prior to discharge.<br>Do not discharge effluent containing this product to sewer<br>systems without previously notifying the local sewage treat-<br>ment plant authority. For guidance contact your State Water<br>Board or Regional Office of the EPA. |

(**1**1