

1762-28, (PAI-31), 1/3
JUN 17 1987

Associated Chemists, Inc.
4401 SE. Johnson Creek Boulevard
Portland, OR 97206

Attention: Roald K. Berg

Gentlemen:

Subject: Quill
EPA Registration No. 1762-28
EPA Received Date February 18, 1987

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. In the Storage and Disposal statement, add "Open dumping is prohibited" to the sentence: "Do not contaminate water, food, or feed by storage and disposal."
 - b. Delete "food processing plants" from the label.
 - c. Delete "prevents" from the Mold and Mildewstat section of the label.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

92371: I: Lee: L-4: KENCO: 5/6/87: 5/14/87: kim: vo: ek: de: vo: kim

CONCURRENCES

SYMBOL	ORIGINATOR							
SURNAME								
DATE								

OFFICIAL FILE COPY

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

BEST AVAILABLE COPY

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
QUILL detergent/disinfectant has been designed specifically for hospitals, offices, hotels, nursing homes, schools, and other institutions where housekeeping is of prime importance.
DIRECTIONS: To disinfect hard nonporous surfaces such as walls, linoleum, table tops, apply solution with mop, cloth or sponge or brush. Allow to remain on surface for 10 minutes and then dry.
DILUTION RATES: General Disinfection - add 3 ounces QUILL per gallon of water. Hospital Disinfection - add 3 ounces QUILL per gallon of water.
To disinfect toilet bowls, floor toilet, add 3 ounces QUILL. To disinfect linoleum directly to the bowl water. Wash the bowl thoroughly with soap water or toilet mop, pulling cord to get under the rim. Let stand for 10 minutes and flush.
For heavily-soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.
WARNING: To control acid and alkaline on pre-cleaned, hard, non-porous surfaces such as floors, walls, table tops, add 3 ounces QUILL per gallon of water. Apply solution with a cloth, mop, or sponge, taking care to wet all surfaces completely. Let air-dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when surface growth appears.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER
Keep Out of Reach of Children. Avoid contact with eyes and skin. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Avoid or limit if swallowed. Avoid contamination of food.
STATEMENT OF PRACTICAL USE:
In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg white, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
NOTE TO PHYSICIAN
Probable adverse effects may include irritation of the eye of gastric upset. Monitor against circulatory shock, respiratory depression and convulsion may be noted.

E.P.A. Est. 1762-OR-1

QUILL

CLEANER — DISINFECTANT — DEODORIZER — FUNGICIDE

ACTIVE INGREDIENTS
Allyl 100% C14 30 - C16 5% C12 5% C18 dimethyl benzyl ammonium chloride 16%
Allyl 165% C12 32% C14 dimethyl ethylbenzyl ammonium chloride 16%

DANGER KEEP OUT OF REACH OF CHILDREN
See Side Panels for Additional Precautions
EPA Reg. No. 1762-28



QUILL is a cleaner/disinfectant...
DISINFECTION: To disinfect hard nonporous surfaces such as walls, linoleum, table tops, apply solution with mop, cloth or sponge or brush. Allow to remain on surface for 10 minutes and then dry.
DILUTION RATES: General Disinfection - add 3 ounces QUILL per gallon of water. Hospital Disinfection - add 3 ounces QUILL per gallon of water.
WARNING: To control acid and alkaline on pre-cleaned, hard, non-porous surfaces such as floors, walls, table tops, add 3 ounces QUILL per gallon of water. Apply solution with a cloth, mop, or sponge, taking care to wet all surfaces completely. Let air-dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when surface growth appears.
DO NOT CONTAMINATE WATER, FOOD OR FEED: Store in a dry place away from children.
CONTAINER DISPOSAL: Do not pour into water. Return to factory and dispose of in a manner approved by state and local health or sanitary officials, or by burning. If burned, stay protected against possible hazard of toxic particles, up Federal Law. If these instructions, contact your state or the nearest State health department.

ACCEPTED with COMMENTS in EPA Letter Dated:

JUN 17 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1762-28