\mathcal{Y}_{2}

UNITED STATES ENVIROIDMENTAL PROTECTION AGENCY

Associated Chemists, Inc. 4401 SE. Johnson Creek Boulevard Portland, OF 97206 JUL 26 1988

Attention: Ronald K. Bing

Gentlemen:

Subject: SERF

EPA Registration No. 1762-29

Your Submission Dated April 7, 1989 EPA Received Date April 11, 1989

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you make the following label revisions at the next printing of your labeling.

- Delete the statement "Use Direction" from the left side panel of the labeling.
- 2. A 10-minute contact time is required for disinfection as described on the left side panel.

The submitted final printed labels are acceptable and have been placed in your file. They have not been reviewed in accordance with PR Notice 82-2.

If you have any questions concerning this letter, please contact Karen Leavy at (703) 557-3966.

Sincerely yours,

Froduct Manager (31)

Antimicrobial Program Branch

Registration Division (H7505C)

54789:I:Leavy:L-12:KERCO:7/19/89:8/30/89:rw:GJ:VO:DE:CT:

CONCURRENCES			
SAMBOF)		****	
ENTHANCE)	1 1		
BATE			***************************************
SPA Fem 1330-1 (13-70)			OFFICIAL FILE COPY

CATE 4/11/12

DIRECTIONS FOR USE

It is a violation of Pederal Law to use this product in a manner inconsistent with its labelling.

SERF detergent/disinfectant has been designed specifically for a offices, notels, schools, and food processing planes where house a keeping is of prime importance.

DISINFECTION: To disinfect hard inanimate sw.faces (such as walls, floors, table tops), apply solution with mop, clots or leage or mechanical sprayer so as to set theroughly. Allow to remain wet for 10 minutes and then let dry out.

DILUTION RATES: General Bisinfection - add 4.5 ounces SERF per gallon of water.

To disinfect totlet bools, flush toilet, add ' ounces SFRF detergent/disinfectant directly to bool water. Swal the tarificampletely using a scrab brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush, for heavily soiled areas, a pre-cleaning step is required.

Prepare a fresh solution for each use.

MILDEVSTAT: To control mold and mildev on pre-cleaned, hard, non-poreus surfaces (such as floors, smalls, table tops), add 4.5 ounces SERF per gallom of water. Apply solution with a cloth, nop or sponge making sure to wet all surfaces completely. Let air dry, Prepare a fresh solution for each use. Repeat application at weekly intervals or whom mildes report apparence.

tion at veekly intervals or when milder growth reappears. 'ECAUTIONARY STATEMENTS

RAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

REEP OUT OF REACH OF CHILDREN. Causes severe eye and skin damage. Be not get in eyes, on skin or clothing. Wear meggles or face shield and rubber gloves when hendling. Hermful or fatal if swallowed. Avoid contemination of food.

STATEMENT OF PRACTICAL TREATMENT

STATEMENT OF PRACTICAL TREATMENT
In cost of contuct, immediately (1 he eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink premptly a large quantity of egg whites, gelatin solution, or if these are not available, drink large quantites of water. Call a physician immediately.

MOTE TO PHYSICIAN

Probable nucesal damage may contraindicate the use of gestric lavage.

SER CLEANER — DISINFECTANT — DEOD

ACTIVE INGREDIENTS:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18) di benzyl ammonium chlorides Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides

INERT INGREDIENTS:

DANGER

ł

KEEP OUT OF REA

To Accordance with PR Notice 82-2,

त्यस्य का दो प्रतासक के भाग के ने विद्या क्षित्र का अवस्था का अवस्था का अवस्था का अवस्था का अवस्था का अवस्था क स्थानिक के स्थानिक के स्थानिक किस्सा क

BEST AVAILABLE COPY