

CAUTION: Chlordane is toxic to fish and wildlife. AVOID CONTACT WITH water. AVOID inhalation of fumes. DO NOT use on house plants. KEEP out of reach of children. DO NOT use for fly control in the home.

Harmful if swallowed  
Keep children and pets off of treated areas until washed into soil and thoroughly dry.

CAUTION: Do not treat pets or other animals with this product. Carpet Beetles in Premises: Application must be localized to areas of the floor and baseboards and work the liquid into cracks and carpets where insects are found. Repeat applications until control is obtained. Do not use in widespread manner or over large areas of the carpeting, floors, walls, ceilings or other surfaces.

ANTIDOTE: if swallowed, give a tablespoonful of baking soda or salt or mustard in a glass of warm water and repeat until vomit fluid is clear. CALL A PHYSICIAN.

This product is toxic to fish and wildlife.  
Keep out of lakes, streams and ponds. Birds feeding on treated areas may be killed.  
Do not apply when weather conditions favor drift of spray from areas treated.  
Rinse equipment and containers and dispose of wastes by burying in non crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes or by burning (keep out of smoke).

1 GALLON - 120 FL. OZ.

AC 11/19/71  
1767-51

# FORMULA No. 57 48% CHLORDANE EMULSIFIABLE

U.S.D.A. REG. NO. 1767-51

CONTROLS: CRICKETS & MOSQUITOES IN LAWNS



CERTAIN  
Chlordane and DDT are registered pesticides under the Federal Insecticide, Fungicide, and Rodenticide Act.  
EPA Reg. No. 1767-51  
Manufactured by Parrott Chemical Co., Stamford, Conn.

CAUTION KEEP OUT OF REACH OF CHILDREN  
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

MANUFACTURED BY THE PARROTT CHEMICAL CO.  
STAMFORD, CONN.

## DIRECTIONS

**MOSQUITOES:** Mix 2 tbsps. in 3 gal. water per 500 sq. ft. on lawns and other short cut areas. In tall grass use more for heavy growth. Controls Grubs in lawns, Golf Courses and Greens. To control Jap Beetle, Grubs, Oriental Beetle Grubs and Asiatic Beetle Grubs. Mix 10 to 12 lbs. to 5 gal. of water to cover approx. 1,000 sq. ft. of lawn. Mix 2 gal. to 200 gal. of water per acre. Treat entire lawn at one time. Use a sprayer, or sprinkling can to apply. Follow with plain water to drive material into turf deeper. To control: Ants, Male Crickets, Chinch Bugs, Earwigs and Chiggers. Mix 6 to 10 lbs. to 5 gal. of water to cover 1,000 sq. ft. Mix 1/2 to 1 gal. in 100 gal. of water to cover an acre of lawn. Apply as above. To control: Sod Webworms or Lawn Moth: Apply in spring and early summer. Mix 5 to 6 lbs. to 5 gal. of water to cover 1,000 sq. ft. Mix 1 gal. to 100 gal. of water to cover 1 acre of lawn. Do not water lawn for several days after application. Note: Against Chiggers and Earwigs: Treat all hiding places along fences, foundations of houses, refuse piles, trash or compost heaps, as well as the lawn. Saturate ant hills and nests.

Preplant application or at time of transplanting

For control of Wire Worms in Potato land Mix 5 qts in 100 gals. of water per acre. Make application to land and then till or disc to a depth of 4 to 6 in. For control of the following insects - mix at the rate of 1/4 pt. to 1 gal. of water. Flies: Use as a residual spray in barns and outhouses.

Caution: Do not use in Dairy Barns nor poultry houses nor grain or food storage bins. Do not use in the home for fly control.

Ants: Apply as against Roaches and especially treat ant trails and around doorills, window frames, openings around waterpipes, heat ducts, electrical outlets and base boards wherever ants may enter and repeat application as

necessary to maintain effective control. Roaches: Treat thoroughly infested cracks, other hiding or resting places. Apply in a limited way to some exposed surfaces where roaches crawl over it when they come out of hiding. Repeat as often as necessary to maintain effective control. Silverfish: Apply as against Roaches and especially treat baseboards, areas behind shelving, bookcases and storage areas. Brown Dog Ticks in Premises: Make application as against Roaches and repeat treatment around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. If infestation is severe, make application more often until control is effected. Fresh bedding must be placed in animal quarters following each application.


Beetles in Premises:  
Bas of the floor and  
to cracks and under  
Repeat applications  
in widespread man-  
petina, floors, walls,

ANTIDOTE: if  
soda or salt  
repeat until

ponds.  
as may be

ditions  
as treated.

and dispose  
op lands  
ainers  
holes in  
r by



Preplant at  
at time of

Worms in Potato lat  
100 gals. of water  
land and then till  
For control of the follo  
1/4 pt. to 1 gal. of wat  
in barns and outhouses

in Dairy  
houses no  
storage  
the home

Apply as against  
and around doors  
waterpipes, heat de  
wherever ants ma

necessary to maintai  
thoroughly infested  
Apply in a limited w  
roaches crawl over i  
peat as often as nee  
Silverfish: Apply as  
baseboards, areas b  
age areas. Brown  
tion as against Red  
baseboards, window  
ing quarters of hou

CERTAIN  
[Faded text in a rectangular box, likely containing product details or instructions.]

CAUTION KEEP OUT OF REACH OF CHILDREN  
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

MANUFACTURED BY THE FMC COMPANY  
STAMFORD, CONN.