

1 QUART 32 FLUID OZS.



FORMULA NO. 96

EARLY

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

DORMANT SPRAY



For early use on
FRUIT TREES
SHADE TREES
ORNAMENTALS
EVERGREENS

ACTIVE INGREDIENTS
Petroleum Oil
INERT INGREDIENTS

96%
4%

Reg. No. 172756

CAUTION: Harmful if swallowed.

See back panel for first aid instructions.

For information on the use of this product, contact your local distributor or write to Parrott Chemical Company, Stamford, Conn.

Dormant Spray

DIRECTIONS

EARLY Dormant is a 96% highly paraffinic spray oil. To be used for the control of mostly hard spruce gall, red spruce gall, spruce sawfly, spruce sawfly larva, and other deciduous fruit trees.

For use on small fruits, cherries, shade trees, shrubs, and other deciduous fruit trees, dilute 1 gallon to 50 gallons of water. Use as a dormant or delayed dormant spray on fruit trees.

For use on evergreen trees, dilute 1 1/2 gallons of water, 2 quarts to 15 gallons of water, 8 to 16 quarts per gallon of water. Use as a dormant spray.

For use on ornamentals including broad-leaved evergreens, including spruce, red spider mites, and scale insects, dilute 1 1/2 quarts to 50 gallons of water, 1 quart to 15 gallons of water, 4 tablespoons per gallon of water and apply just before the new growth starts.

Temperature is not colder than 40 F to minimize the freezing before spray dries on the trees. Thorough coverage of all exposed surfaces is necessary.

Temperature is not colder than 40 F to minimize the freezing before spray dries on the trees. Thorough coverage of all exposed surfaces is necessary.

Manufactured by
THE PARROTT CHEMICAL COMPANY
STAMFORD, CONN.

7/17/72

1727-54

1 JULY 32

CA
SEE



EPA Reg. No. 1767-56

CAUTION: Harmful if swallowed.
Avoid inhalation of spray mists.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Dormant Spray

DIRECTIONS

EARLY Dormant is a 96% highly paraffinic spray oil. To be used in control of scale, Comstock mealy bug, Spruce gall, red spider mites, aphid, larch casebearer, leaf roller,

— also for use on apples, peaches, plums, pears, cherries and other deciduous fruit trees, also grape vines and deciduous small fruits, shrubs, shade tree, pines, conifers.

Against San Jose scale, cottony maple scale, European red mite leaf roller, red spider mites, larch casebearer, mealy bug. Use dormant diluted 1 gallon to 50 gallons water, dilute 1 1/2 quarts to 15 gallons water, dilute 5 1/4 tablespoons per gallon of water. Use as a dormant or delayed dormant spray on fruit trees and as a Spring dormant spray on deciduous shade trees and ornamentals.

Against oyster shell scale, tulip scale, scurfy scale use 1 1/2 gallons to 50 gallons of water, 2 quarts to 15 gallons of water, 8 to 10 tablespoons per gallon of water. Use as a dormant spray.

On spruces, conifers, pines and evergreens, including broad-leaved evergreens, against spruce gall, scale, red spider mites use dormant 3 quarts to 50 gallons of water, 1 quart to 15 gallons of water, 4 tablespoons per gallon of water and apply as a spray just before the new growth starts.

Use when temperature is not colder than 40° F to minimize the danger of freezing before spray dries on the trees. Thorough spraying of all exposed surfaces is necessary.

Manufactured by
THE PARROTT CHEMICAL COMPANY
STAMFORD, Conn.