

1767-61

THE FEDERAL BUREAU OF INVESTIGATION
 DEPARTMENT OF JUSTICE
 SUBJECT

OFF LAWN

10% CHLORDANE

WITH AN INERT LIME
 HYDRATED MAGNESIUM-ALUMINUM IRON SILICATE GRANULAR

KILLS

JAP. BEETLE GRUBS

- ANTS
- CHINCH BUGS
- GRIGGERS
- SOD WEEVILS OR LAWN MOTHS
- WHITE GRUBS
- MOLE CRICKETS
- EARWIGS
- ASIATIC GARDEN BEETLE
- MOSQUITOES
- CUTWORMS



USE IN ANY TYPE LAWN SPREADER

ACTIVE INGREDIENTS:
 *Technical Chlordane..... 10%
 INERT INGREDIENTS:
 Hydrated Magnesium-Aluminum
 Iron Silicate-Granular..... 90%
 TOTAL 100%
 *Equivalent to 6% octachloro-4, 7-methano-
 tetrahydrodane and 4% related compounds on a weight basis.

KEEP OUT OF REACH OF CHILDREN
 SEE BACK LABEL FOR ADDITIONAL PRECAUTIONS
 CONTAINS 10 POUNDS (APPROX. ONE CUBIC FT. BY VOLUME)
 MFG. BY THE PARSONS CHEMICAL COMPANY, STAMFORD, CONNECTICUT

CATION, MORE THOROUGH COVERAGE IS ASSURED AND BEST RESULTS WILL BE OBTAINED.

GUIDE FOR LAWN INSECT CONTROL

LAWN INSECTS CONTROLLED	WHEN TO USE	SQ. FT. COVERAGE	AMOUNT OF LAWN GUARD TO USE	AFTER APPLICATION
JAPANESE BEETLE GRUBS	FALL, WINTER, SPRING	6,000 SQ. FT.	6 POUNDS	DRENCH LAWN WITH WATER
ANTS	ANYTIME WHEN NEEDED	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
CHINCH BUGS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
GRIGGERS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
CHINCH BUGS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
SOD WEEVILS OR LAWN MOTHS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
MOLE CRICKETS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DRENCH LAWN WITH WATER
MOSQUITOES (FOR NUISANCE PURPOSES AND REDUCTION IN NUMBERS)	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
WHITE GRUBS	FALL, WINTER, SPRING	4,000 SQ. FT.	6 POUNDS	DRENCH LAWN WITH WATER
ASIATIC GARDEN BEETLES	SPRING & SUMMER	4,000 SQ. FT.	6 POUNDS	DRENCH LAWN WITH WATER

(FOR SOIL TREATMENT ONLY) GUIDE FOR FLOWER AND VEGETABLE GARDEN SOIL TREATMENT: TOMATOES, PEPPERS, CUCUMBERS, SUMMER SQUASH, MELONS, CABBAGE, AZALEAS.

SOIL INSECTS CONTROLLED	WHEN TO USE	SQ. FT. COVERAGE	AMOUNT OF LAWN GUARD TO USE	APPLICATION
CUTWORMS	BEFORE PLANTING	1,000 SQ. FT.	1 POUND	WORK TO DEPTH OF 4"
TOMATOES, PEPPERS, CUCUMBERS, SUMMER SQUASH, MELONS, CABBAGE, AZALEAS		6,000 SQ. FT.	6 POUNDS	WHILE TILLING SOIL
WIREWORM POTATOES	BEFORE PLANTING	1,000 SQ. FT.	1 POUND	WORK TO DEPTH OF 4"
		6,000 SQ. FT.	6 POUNDS	WHILE TILLING SOIL

CRABGRASS SEEDLING CONTROL

USE	WHEN TO USE	SQ. FT. COVERAGE	AMOUNT TO USE	AFTER APPLICATION
CRABGRASS SEEDLING CONTROL	EARLY SPRING	70 SQ. FT. / 420 SQ. FT.	1 POUND / 6 POUNDS	WATER LIGHTLY

NOTE: LAWN GUARD PREVENTS THE DEVELOPMENT OF CRABGRASS SEEDLINGS, BUT WILL NOT KILL ESTABLISHED CRABGRASS PLANTS. DO NOT PLANT GRASS SEED FOR ABOUT A MONTH AFTER CRABGRASS APPLICATION.

IF SWALLOWED, CONSULT A PHYSICIAN IMMEDIATELY. THIS PRODUCT IS TO BE USED ONLY AS SPECIFIED ON THE LABEL. KEEP THIS PRODUCT AWAY FROM SMOKE. IF THE BAGS ARE DAMAGED, STORE IN A SAFE PLACE.

Cameraman's Note

Poor Copy

NEW!
READY TO USE
KILL LAWN INSECTS
the EASY WAY...



ACCEPTED
10-19-66
1761-61

FORMULA NO.
404

GRANULAR

LAWN-GUARD

COVERS
6,000 SQ. FT.
OF LAWN

\$3.49

10% CHLORDANE

WITH A SOIL CONDITIONER BASE

HYDRATED MAGNESIUM-ALUMINUM IRON SILICATE GRANULAR



KILLS



JAP. BEETLE GRUBS

ANTS

CHINCH BUGS

CHIGGERS

SOD WEBWORMS

WHITE GRUBS

OR LAWN MOTHS

EARWIGS

MOLE CRICKETS

MOSQUITOES

ASIATIC GARDEN BEETLE

CUTWORMS

USE IN ANY TYPE

LAWN SPREADER



ACTIVE INGREDIENTS:

*Technical Chlordane _____ 10%

INERT INGREDIENTS:

Hydrated Magnesium-Aluminum

Iron Silicate-Granular _____ 90%

TOTAL _____ 100%

*Equivalent to 6% octachloro-4, 7-methano-tetrahydroindane and 4% related compounds on a weight basis.

CONTENTS 6 POUNDS APPROX. ONE CUBIC FT. E.P. 100-100
MFD. BY THE PARROTT CHEMICAL COMPANY, STAMFORD, CONNECTICUT

CAUTION

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

LAWN GUARD

LUCKY STRIKE LAWN GUARD CONTROLS AND KILLS JAPANESE BEETLE GRUBS AND A WIDE VARIETY OF OTHER SOIL INSECTS.

LUCKY STRIKE LAWN GUARD IS A GRANULAR MATERIAL AND SPREADS EASILY IN ALL LAWN FERTILIZER TYPE SPREADERS WITHOUT ANY ADDITIONAL MIXING OR ADDING OF MATERIALS NECESSARY. **LUCKY STRIKE LAWN GUARD** IS READY FOR USE AS TAKEN FROM BAG.

HOW TO PROPERLY SET YOUR SPREADER

TO INSURE PROPER COVERAGE OF THE AREA TO BE TREATED SET YOUR SPREADER AS FOLLOWS:

1. TURN SPREADER UPSIDE DOWN SO THAT BOTTOM DISCHARGE SLIDE OPENING IS VISIBLE.
2. WITH COMMON RULER, OPEN SLIDE SO THAT NOT MORE THAN A 1/16th. INCH OPENING IS ALLOWED FOR MATERIAL TO FLOW THROUGH. THIS SETTING MUST BE ACCURATE FOR CORRECT COVERAGE.
3. TURN SPREADER RIGHT SIDE UP. FILL HOPPER WITH LAWN GUARD AND YOU ARE NOW READY TO PROCEED WITH LAWN TREATMENT.

SCOTTS SPREADER USE SETTING NO. 2

THE CONTENTS OF THIS BAG WILL COVER 6,000 SQ. FT. OF LAWN AREA FOR MANY LAWN INSECTS. TO START, WE RECOMMEND MARKING OFF THE EXACT AREA TO BE COVERED BY DRIVING 4 STAKES. WALK LENGTHWISE OF AREA WITH SPREADER TO FARTHEST STAKE, ON RETURN RUN OVERLAP AREA ALREADY COVERED BY A FEW INCHES, AND PROCEED IN THIS MANNER UNTIL ENTIRE STAKED AREA IS COVERED. ANY MATERIAL REMAINING SHOULD THEN BE APPLIED BY WALKING CROSSWISE OF THE AREA ALREADY TREATED UNTIL MATERIAL IS COMPLETELY USED. BY THE ABOVE METHOD OF APPLICATION MORE THOROUGH COVERAGE IS ASSURED AND BEST RESULTS WILL BE OBTAINED.

LAWN INSECTS CONTROLLED	WHEN TO USE	SQ. FT. COVERAGE	AMOUNT OF LAWN GUARD TO US	AFTER APPLICATION
JAPANESE BEETLE GRUBS	FALL, WINTER, SPRING	6,000 SQ. FT.	6 POUNDS	DRENCH LAWN WITH WATER
ANTS	ANYTIME WHEN NEEDED	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
CHIGGERS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
EARWIGS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
CHINCH BUGS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN

10-19-66
1762-66

SOD WEBWORMS OR LAWN MOTHS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
MOLE CRICKETS	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DRENCH LAWN WITH WATER
MOSQUITOES (FOR NUISANCE PURPOSES AND REDUCTION IN NUMBERS).	SPRING & SUMMER	6,000 SQ. FT.	6 POUNDS	DO NOT WATER LAWN
WHITE GRUBS	FALL, WINTER, SPRING	4,000 SQ. FT.	6 POUNDS	DRENCH LAWN WITH WATER
ASIATIC GARDEN BEETLES	SPRING & SUMMER	4,000 SQ. FT.	6 POUNDS	DRENCH LAWN WITH WATER

FOR USE ON LAWNS CONTAINING GUIDE PINE, FLOWERS & VEGETABLE PLANTS
 LAWN CARE: SOIL INSECTS CONTROLLED, PEPPERS, SQUASH, CABBAGE, CUCUMBER, TOMATOES, BEANS, PEAS

SOIL INSECTS CONTROLLED	WHEN TO USE	SQ. FT. COVERAGE	AMOUNT OF LAWN GUARD TO USE	APPLICATION
CUTWORMS	BEFORE PLANTING	1,000 SQ. FT. 6,000 SQ. FT.	1 POUND 6 POUNDS	WORK TO DEPTH OF 4" WHILE TILLING SOIL
ARMYWORMS	BEFORE PLANTING	1,000 SQ. FT. 6,000 SQ. FT.	1 POUND 6 POUNDS	WORK TO DEPTH OF 4" WHILE TILLING SOIL
JAPANESE BEETLE GRUBS	BEFORE PLANTING	1,000 SQ. FT. 6,000 SQ. FT.	1 POUND 6 POUNDS	WORK TO DEPTH OF 4" WHILE TILLING SOIL
WIREWORM POTATOES	BEFORE PLANTING	1,000 SQ. FT. 6,000 SQ. FT.	1 POUND 6 POUNDS	WORK TO DEPTH OF 4" WHILE TILLING SOIL

CRABGRASS SEED CONTROL

USE	WHEN TO USE	SQ. FT. COVERAGE	AMOUNT TO USE	AFTER APPLICATION
CRABGRASS SEED CONTROL	EARLY SPRING	70 SQ. FT. 420 SQ. FT.	1 POUND 6 POUNDS	WATER LIGHTLY

NOTE: LAWN GUARD PREVENTS THE DEVELOPMENT OF CRABGRASS SEEDS AND SEEDLINGS, BUT WILL NOT KILL ESTABLISHED CRABGRASS PLANTS. DO NOT APPLY TO NEW LAWNS. DO NOT PLANT GRASS SEED FOR ABOUT A MONTH AFTER APPLICATION, WHEN MAKING CRABGRASS APPLICATION.

FOR USE ON LAWNS CONTAINING GUIDE PINE, FLOWERS & VEGETABLE PLANTS
 LAWN CARE: SOIL INSECTS CONTROLLED, PEPPERS, SQUASH, CABBAGE, CUCUMBER, TOMATOES, BEANS, PEAS

FREIGHT SHIPPING BAG
 MEETING REQUIREMENTS OF
APPLICABLE FREIGHT CLASSIFICATION
 GUARANTEED BY
 BEMIS BRO. BAG CO. E. PEPPERELL, MASS.

10-14-66
 1767-6j