

4-23-64  
1767-62

**DIRECTIONS** Follow dilution chart and prepare spray by mixing with water as follows:

TO MAKE	1/2 %	1 %	1 FL. Oz. Equals
QUART	1 TSP.*	2 TSP.*	
GALLON	3 1/2 TSP.	7 TSP.	2 Tablespoonsful or 6 TSPS.
5-GALLON	3 FL. OZS.	5 TSP.	(*TSP. Teaspoon)

**ANTS, ROACHES, SPIDERS (Inside Buildings)** 10 Tablespoonfuls (5 ozs.) per gal. water. Spray thoroughly only trails around door sills, window frames, openings around water pipes, heat ducts, electrical outlets and baseboards, where these pests may enter. Do not contaminate food, utensils, dishes or drinking water. Use a coarse, wet spray. Repeat as necessary. May cause staining of finished surfaces.  
**ANTS, BOX ELDER BUGS (Outside Buildings)** Spot treat nests in lawns or other infested areas. 10 Tablespoonful (5 oz.) in 1 gal. water. Apply along runways, in cracks in cement walks and patios, around garbage containers, under porches, around outside house foundations. Also spray box elder trees and ornamentals where bugs congregate.

**FOR LAWN USE:** Japanese beetle grub, earwigs, wireworms, white grubs, sod webworms, ants, chinch bugs, cutworms, and certain other soil insects, use 1/2% spray at rate of 1 gal. per 100 sq. ft. of lawn area. Irrigate treated area to assure penetration of Chlordane into soil.

Chiggers and as an aid in mosquito control, use 1/8% spray applying thoroughly on lawns, shrubs.  
**FOR FLOWERS, SHRUBS AND ORNAMENTALS:** such as Asters, Carnations, Chrysanthemums, Dahlias, Marigolds, Pansies, Gladioli, Petunias, Roses, Stocks, Zinnias.

For leafminers, thrips, Japanese beetle and certain other insects use 1/8% spray applying to upper and lower surfaces and to soil around plants. Repeat as necessary.

For cutworms, and strawberry root weevil on camellias, azaleas, rhododendron, primrose and other ornamentals, use 1/8% spray liberally around base of plants, working into top 4 inches of soil. Repeat as necessary.

**FOR PROTECTION AGAINST SUBTERRANEAN TERMITES:** Dig trench 8" wide along entire exterior foundation to 15" depth. Use 1/2 gal. of a 1/2% Chlordane solution per linear foot. Apply to trench and to the backfill. For deep foundation, dig 30" trench and apply in same manner using 1 gal. per linear foot. (Do not dig below depth of footings). Inspect annually to determine need for re-treatment.

**CAUTION: HARMFUL BY SWALLOWING OR SKIN CONTACT.**

Do not get in eyes, on skin, on clothing.

Do not breathe spray mist.

Avoid contamination of feed and foodstuffs.

Store away from children, domestic animals, and foodstuffs.

In case of contact, wash with soap and water; for eyes, flush with plenty of water for at least 15 minutes and get medical attention.

Keep children and pets off treated lawn areas until this material has been washed into the soil and lawn area is completely dry. This product is toxic to fish & wildlife. Keep out of lakes, streams and ponds. Birds feeding on treated areas may be killed.

**Keep out of ORNAMENTAL fish ponds.**

Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers and dispose of wastes by burying in non crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes or by burning (Keep out of smoke).

**ACTIVE INGREDIENTS**

Technical Chlordane*.....	72%	*Equivalent to 43% Octachloro-4,7-Methano
Petroleum Distillate.....	18%	tetrahydroindene and 29% related compounds.

**INERT INGREDIENTS..... 10%**

MANUFACTURED BY THE PARROTT CHEMICAL CO., STAMFORD, CONN.

**TERMITE KILLS CONTROL**

ANTS  
ROACHES

many LAWN & SOIL INSECTS

**CAUTION** KEEP OUT OF REACH OF CHILDREN  
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

1 QUART 32 FLUID OZS.

**CHLORDANE**

WITH

**72%**

TRITON X-800

FORMULA NO. 72

**LUCKY STRIKE**

USDA REG. NO. 1767-62

**DIRECTIONS** Follow dilution chart and prepare spray by mixing with water as follows:

TO MAKE	1/2 %	1/8 %	1 FL. Oz. Equals
QUART	1 TSP.	1/2 TSP.	
GALLON	3 1/2 TSP.	1 TSP.	2 Tablespoonsful or 6 TSPS
5-GALLON	3 FL. OZS.	5 TSP.	(1 TSP. Teaspoon)

**ANTS, ROACHES, SPIDERS (Inside Buildings)** 10 Tablespoonfuls (5 ozs.) per gal. water. Spray thoroughly only trails around door sills, window frames, openings around water pipes, heat ducts, electrical outlets and baseboards, where these pests may enter. Do not contaminate food, utensils, dishes or drinking water. Use a coarse, wet spray. Repeat as necessary. May cause staining of finished surfaces.  
**ANTS, BOX ELDER BUGS (Outside Buildings)** Spot treat nests in lawns or other infested areas. 10 Tablespoonful (5 oz.) in 1 gal. water. Apply along runways, in cracks in cement walks and patios, around garbage containers, under porches, around outside house foundations. Also spray box elder trees and ornamentals where bugs congregate.

**FOR LAWN USE:** Japanese beetle grub, earwigs, wireworms, white grubs, sod webworms, ants, chinch bugs, cutworms, and certain other soil insects, use 1/2% spray at rate of 1 gal. per 100 sq. ft. of lawn area. Irrigate treated area to assure penetration of Chlordane into soil. Chiggers and as an aid in mosquito control, use 1/8% spray applying thoroughly on lawns, shrubs.

**FOR FLOWERS, SHRUBS AND ORNAMENTALS:** such as Asters, Carnations, Chrysanthemums, Dahlias, Marigolds, Pansies, Gladioli, Petunias, Roses, Stocks, Zinnias.

For leafminers, thrips, Japanese beetle and certain other insects use 1/8% spray applying to upper and lower surfaces and to soil around plants. Repeat as necessary.

For cutworms, and strawberry root weevil on camellias, azaleas, rhododendron, primrose and other ornamentals, use 1/8% spray liberally around base of plants, working into top 4 inches of soil. Repeat as necessary.

**FOR PROTECTION AGAINST SUBTERRANEAN TERMITES:** Dig trench 8" wide along entire exterior foundation to 15" depth. Use 1/2 gal. of a 1/2% Chlordane solution per linear foot. Apply to trench and to the backfill. For deep foundation, dig 30" trench and apply in same manner using 1 gal. per linear foot. (Do not dig below depth of footings). Inspect annually to determine need for re-treatment.

**CAUTION: HARMFUL BY SWALLOWING OR SKIN CONTACT.**

Do not get in eyes, on skin, on clothing.

Do not breathe spray mist.

Avoid contamination of feed and foodstuffs.

Store away from children, domestic animals, and foodstuffs.

In case of contact, wash with soap and water; for eyes,

flush with plenty of water for at least 15 minutes and get medical attention.

Keep children and pets off treated lawn areas until this material has been washed into the soil and lawn area is completely dry. This product is toxic to fish & wildlife. Keep out of lakes, streams and ponds. Birds feeding on treated areas may be killed.

**Keep out of ORNAMENTAL fish ponds.**

Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers and dispose of wastes by burying in non crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes or by burning (Keep out of smoke).

**ACTIVE INGREDIENTS**

Technical Chlordane*.....	72%	*Equivalent to 43% Octachloro-4,7-Methano
Petroleum Distillate.....	18%	tetrahydroindane and 20% related compounds.

**INERT INGREDIENTS..... 10%**

**MANUFACTURED BY THE PARROTT CHEMICAL CO., STAMFORD, CONN.**

