



ONE QUART MAKES 5 GALLONS FINNISHED SPRAY
 PREVENTS PLANT GROWTH FOR 1 TO 2 YEARS
 FOR: WALKS, PATIOS, DRIVEWAYS, UNDER FENCES,
 EDGING, GRAVELED AREAS.

ACTIVE INGREDIENTS:

| | |
|---|---------|
| Ethion (2-(2,4,5-Trichlorophenoxy) ethyl | |
| 2,2-dichloropropionate----- | 4.30 % |
| Related compounds----- | 1.50% |
| INERT INGREDIENTS:----- | 94.20 % |
| (Contains 5 pound per gallon active ingredients.) | |

WARNING KEEP OUT OF REACH OF CHILDREN TOTAL 100.00 %
 READ COMPLETE WARNINGS ON REAR PANEL

DIRECTIONS

METACINE is a selective herbicide which kills weeds and prevents new weeds from growing. It is effective on many types of weeds, including annual and perennial broadleaf weeds, grasses, and sedges. It is also effective on many types of weeds, including annual and perennial broadleaf weeds, grasses, and sedges. It is also effective on many types of weeds, including annual and perennial broadleaf weeds, grasses, and sedges.

METACINE is a selective herbicide which kills weeds and prevents new weeds from growing. It is effective on many types of weeds, including annual and perennial broadleaf weeds, grasses, and sedges. It is also effective on many types of weeds, including annual and perennial broadleaf weeds, grasses, and sedges.

PREPARING THE SPRAY: METACINE mixes easily in water with little effort. Add the desired amount of **METACINE** to the water and stir until a uniform mixture is obtained. Shake the container before use.

FOR SPRAYER APPLICATION Add one quart of **METACINE** to one gallon of water. Spray vegetation to wet. Also spray to prevent new weed growth. For application of three quarts of spray mix to 125 square feet of area for top kill of weeds. For prevention of the germination of new weeds, spray areas where weeds are expected to grow. For control for extended periods, treat 5 square feet with three quarts of spray mix.

FOR SPRINKLING CAN APPLICATION: Add one quart of **METACINE** to one gallon of water. Use this amount for 125 square feet of area for top kill of weeds. For prevention of the germination of new weeds, spray areas where weeds are expected to grow. For desired mix one quart of **METACINE** to one gallon of water to top kill weeds with 10 percent of mixture. Sprinkle solution evenly and thoroughly, with a light mist at all points. For best results, move the sprinkler constantly over the area to be treated. Spray in all directions and then in the other direction. Add the spray to the water in the water.

STORAGE DIRECTIONS: Store **METACINE** in a cool, dry place. Do not store in a hot or freezing temperature.

WARNING: Do not apply **METACINE** directly to or near desirable plants. Control will be greatest on weeds, grasses, and sedges, but may also injure desirable plants. Control will be greatest on weeds, grasses, and sedges, but may also injure desirable plants. Control will be greatest on weeds, grasses, and sedges, but may also injure desirable plants.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY

WARNING: CAUSES SKIN AND EYE IRRITATION. HARMFUL IF SWALLOWED. KEEP OUT OF THE REACH OF CHILDREN.

Avoid Skin Contact, Avoid Eye Contact. In case of contact, wash skin with plenty of water. For eyes, flush immediately with plenty of water for at least 15 minutes. Do not wear contaminated clothing or shoes. Do not wear contaminated clothing or shoes.