


DIRECTIONS

**AIDS IN REDUCTION OF
AIRBORNE BACTERIA**

Remove protective cap. Hold dispenser upright, pointing valve away from face. By spraying room so that a light fog forms, this formula will reduce the number of airborne bacteria and virus particles. This treatment will provide a temporary decontamination of the air. Repeated applications should be made periodically according to conditions which prevail.



TRI - GLY // TRI - GLY // TRI - GLY // TRI - GLY //

CAUTION

Avoid contamination of food
Contents under pressure. Do not
store at temperatures above 110°F.
Do not puncture or incinerate.

**KEEP OUT OF REACH OF
CHILDREN**

ACTIVE INGREDIENTS: 40% Isopropanol; Triethylene Glycol; Propylene Glycol.

INERT INGREDIENTS: 60% Dichlorodifluoromethane; Trichloromonofluoromethane; Essential Oil.

NET WEIGHT: 15 OZS.

USDA Reg. No. 1769-25

**AIR SANITIZER
AND DEODORANT
REDUCES AIR BACTERIA**

CAUTION:

contents under pressure

KEEP OUT OF REACH OF CHILDREN

See back panel for additional
precautions



TRI-GLY

TRI-GLY

TRI-GLY

TRI-GLY

**AIR SANITIZER
AND DEODORANT**

REDUCES AIR BACTERIA

CAUTION:

NATIONAL CHEMSEARCH CORPORATION
DALLAS • ST. LOUIS • NEW YORK • LOS ANGELES
TORONTO