[1769-35]

DIRECTIONS

for best results close doors and windows for ten minutes or longer. Do not remain in treated areas and ventilate the area after treatment is complete. Flies, gnats, mosquitoes—spray toward ceiling and center of room. Roaches, ants, iverfish—spray into creeks and crevices enveloping the insects. Repeat spraying often.


Bedbugs—Spray mattress, especially seams and under tufts. Spray springs, beds and baseboards, loosen wall-paper and spray into cracks. Repeat spraying often.

Moths—Remove clothes from closets, brush and air well. Spray clothes thoroughly to kill moth larvae. Spray clothes, trunk drawers and closets every 30 days. Will not stain when used as directed.

SHAKE WELL BEFORE USING







SQUAD/SQUAD/SQUAD/SQUAD/

CAUTION: Contents under pressure. Do not puncture or incinerate. Do not store at abnormally high temperature. Do not spray directly on plants or shrubbery, walls or woodwork. Remove birds, pets, fish bowls from room before spraying. Avoid contamination of feed and foodstuffs.

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 1769-35-AA



See back panel for additional precautions

NET WEIGHT: 15 OZS.

contents under pressure



6.213

And the second of the second o

Spray characters


Spray charac

SHAKE WELL BEFORE USING

Kills flies, moths, roaches, ants, mosquitoes, gnats, bedbugs, silver-fish

To operate:

Hold dispenser upright. Point valve opening away from face. Press button to release spray. Hold two feet from object being sprayed. Use sparingly—6 to 8 seconds for average size (1000 cubic foot) room is sufficient for control of flies, gnats and mosquitoes.



If SQUAD is used in food processing areas, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using SQUAD in these areas, apply only when the facility is not in operation.

SQUAD

SQUAD SQL

INSECTICIDE

ACTIVE INGREDIENTS:
Petroleum Distillates
"Technical Piperonyl
Butoxide .50%
N-octyl bicycloheptene
dicarboxin ide .50%
Pyrethrins I & II .20%

INERT INGREDIENTS: 80.00%

*Equivalent to 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds.

KILLS RESISTANT INSECTS

CAUTION:

Service Service Charles of the Service Service

ONTAINS PYREIDENSAS JUNE 1 NO FICTOR OF THE NATIONAL CHEMSEARCH CORPORATION

PALLAS • ST. LOUIS • NEW YORK • LOS ANGELES

TORONTO

Research Laboratory and Plant 2730 Carl Road Irving, Texas 75060

3 / 72