

LEFT PANEL

NATIONAL CHEMSEARCH

SQUAD

INSECTICIDE

KILLS COMMON INSECTS

CONTAINS PYRETHRUM

CAUTION:
CONTENTS UNDER PRESSUREKEEP OUT OF REACH OF CHILDREN
(See side panel for additional precautions)

NET WEIGHT: 13.5 Ozs./383 g.

EPA Reg. No. 1769-35
EPA Est. No. 4140-TX-1**BEST AVAILABLE COPY**CENTER PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Kills flies, moths, roaches, ants, mosquitoes, gnats, bedbugs, silverfish. To operate: Hold dispenser upright. Point valve opening away from face. Press button to release spray. Hold two feet from object being sprayed. Use sparingly - 6 to 8 seconds for average size (1000 cubic foot) room is sufficient for control of flies, gnats, and mosquitoes. For best results, close doors and windows for ten minutes or longer. Do not remain in treated areas and ventilate the area after treatment is complete. Flies, gnats, mosquitoes - spray toward ceiling and center of room. Roaches, ants, silverfish - spray into cracks and crevices enveloping the insects. Repeat spraying often. Bedbugs - spray mattress, especially seams and under tufts. Spray springs, beds and baseboards; loosen wallpaper and spray into cracks. Repeat spraying often. Clothes Moths - Remove clothes from closets, brush and air well. Spray clothes, trunk drawers and closets every 30 days. Will not stain when used as directed.

NOTE: Remove pets, birds and cover or remove fish aquariums before using.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

ACTIVE INGREDIENTS:

| | |
|---|-------|
| *Technical Piperonyl Butoxide..... | 0.50% |
| N-octyl bicycloheptene dicarboximide..... | 0.50% |
| Pyrethrins I & II..... | 0.20% |

| | |
|-----------------------------------|----------------|
| **INERT INGREDIENTS: | <u>98.80%</u> |
| TOTAL | 100.00% |

* Equivalent to 0.4% (butylcarbityl) (6-propylpiperonyl)ether and 0.1% related compounds.

**Contains petroleum distillate.

NATIONAL CHEMSEARCH

Div. of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062

RIGHT PANEL

If SQUAD is used in food processing areas, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using SQUAD in these areas, apply only when the facility is not in operation.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if swallowed, inhaled or absorb through skin. Avoid breathing the spray mist. Provide adequate ventilation of area being sprayed. Contact with skin, eyes and clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should poisoning occur, get prompt medical attention.

NOTE TO PHYSICIAN: Atropine Sulfate is antidotal.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: DO NOT induce vomiting; get prompt medical attention.

IF INHALED: Move person to fresh air and treat symptomatically.

IF ON SKIN: Wash with soap thoroughly. If skin irritation persists, see a physician.

IF IN EYES: Flush with water for fifteen minutes, then see a physician immediately.

STORAGE AND DISPOSAL

BEST AVAILABLE COPY

PHYSICAL OR CHEMICAL HAZARDS:

CONTENTS UNDER PRESSURE. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F/54° C may cause bursting. Never throw container into fire or incinerator.

3 1 -

CONTAINER DISPOSAL: Replace cap and securely wrap original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

KEEP OUT OF REACH OF CHILDREN

9M001

TO REORDER:

In Texas, call 1-800-442-7950

Outside Texas, call 1-800-527-9921

BEST AVAILABLE COPY

9 5