

APR 02 1991

Ms. Kelly Rohn  
NCH Corporation  
2727 Chemsearch Boulevard  
Irving, TX 75062

Dear Ms. Rohn:

Subject: Revised Formula, Label  
Squad Aerosol  
EPA Registration No. 1769-35  
Your Submission Dated January 12, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Change the "If in eyes" portion of the Practical Treatment statement to read "IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists."
2. Remove the statement "NOTE TO PHYSICIAN: Atropine sulfate is antidotal" and replace it with the following:

NOTE TO PHYSICIAN

Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

BEST AVAILABLE COPY

62482:I:A-27:Mountfort:L10-7:KEVRIC:03/29/91:04/27/91:CL:WO:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

The formula statement dated January 12, 1990 is acceptable and has been included in our files. It is understood that use of methylene chloride in this formulation is no longer consistent with the terms of its registration.

Sincerely yours,

RFM

Richard F. Mountfort  
Product Manager (10)  
Insecticide-Rodenticide Branch  
Registration Division (M7505C)

BEST AVAILABLE COPY

LEFT PANEL

NATIONAL CHEMSEARCH

SQUAD

INSECTICIDE

KILLS COMMON INSECTS

CONTAINS PYRETHRUM

CAUTION:  
CONTENTS UNDER PRESSURE

KEEP OUT OF REACH OF CHILDREN  
(See side panel for additional precautions)

NET WEIGHT: 1 lb.

EPA Reg. No. 1769

EPA Est. No. 4140

CENTER PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Kills flies, moths, roaches, ants, mosquitoes, gnats, bedbugs, silverfish. To operate: Hold dispenser upright. Point valve opening away from face. Press button to release spray. Hold two feet from object being sprayed. Use sparingly - 6 to 8 seconds for average size (1000 cubic foot) room is sufficient for control of flies, gnats, and mosquitoes. For best results, close doors and windows for ten minutes or longer. Do not remain in treated areas and ventilate the area after treatment is complete. Flies, gnats, mosquitoes - spray toward ceiling and center of room. Roaches, ants, silverfish - spray cracks and crevices enveloping the insects. Repeat spraying often. Bedbugs - spray mattress, especially seams and under tufts. Spray springs, beds and baseboards; loosen wallpaper and spray into cracks. Repeat spraying often. Clothes Moths - Remove clothes from closets, brush and air well. Spray clothes, trunk drawers and closets every 30 days. Will not stain when used as directed.

NOTE: Remove pets, birds and cover or remove fish aquariums before using.

**BEST AVAILABLE COPY**

**ACTIVE INGREDIENTS:**

*Technical Piperonyl Butoxide.....	0.50%
N-octyl bicycloheptene dicarboximide.....	0.50%
Pyrethrins I & II.....	0.20%
**INERT INGREDIENTS:.....	<u>98.80%</u>
TOTAL.....	100.00%

- \* Equivalent to 0.4% (butylcarbityl) (6-propylpiperonyl)ether and 0.1% related compounds.
- \*\*Contains petroleum distillate.

**NATIONAL CHEMSEARCH**  
Div. of NCH Corporation  
2727 Chemsearch Blvd.  
Irving, Texas 75062

**RIGHT PANEL**

If SQUAD is used in food processing areas, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using SQUAD in these areas, apply only when the facility is not in operation.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

**CAUTION:** Harmful if swallowed, inhaled or absorb through skin. Avoid breathing the spray mist. Provide adequate ventilation of area being sprayed. Contact with skin, eyes and clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should poisoning occur, get prompt medical attention.

**NOTE TO PHYSICIAN:** Atropine Sulfate is antidotal.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** DO NOT induce vomiting; get prompt medical attention.

**IF INHALED:** Move person to fresh air and treat symptomatically.

**IF ON SKIN:** Wash with soap thoroughly. If skin irritation persists, see a physician.

**IF IN EYES:** Flush with water for fifteen minutes, then see a physician immediately.

**STORAGE AND DISPOSAL**

**NOT AVAILABLE COPY**

**PHYSICAL OR CHEMICAL HAZARDS:**

**CONTENTS UNDER PRESSURE.** Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F/54° C may cause bursting. Never throw container into fire or incinerator.

**CONTAINER DISPOSAL:** Replace cap and securely wrap original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

**KEEP OUT OF REACH OF CHILDREN**

9M001

**TO REORDER:**

In Texas, call 1-800-442-7950

Outside Texas, call 1-800-527-9921

**BEST AVAILABLE COPY**

