

LEFT PANEL

NATIONAL CHEMSEARCH

PYRA-FOG 100
Insect Spray

ACTIVE INGREDIENTS:

| | |
|-------------------------------------|----------|
| Refined Mineral Oil..... | 99.429% |
| Technical Piperonyl Butoxide *..... | 0.238% |
| Pyrethrins..... | 0.095% |
| TOTAL..... | 100.000% |

* Equivalent to .190% (Butylcarbityl) (6-Propylpiperonyl)ether and .048% related compounds.

CAUTION:

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions.

EPA Reg. No. 1769-53

NET CONTENTS:

National Chemsearch
Div. of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062

CENTER PANEL

NOT FOR RESALE

PYRA-FOG 100 is a contact insecticide incorporating pyrethrum and synergists in a highly refined mineral oil base. PYRA-FOG 100 is formulated to control roaches, silverfish, weevils infesting stored food products, bedbugs, flies and certain other insects in their accessible stages. For best results, PYRA-FOG 100 should be used with electric sprayers, but hand or compressed air sprayers may be used.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not breathe spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARD: Do not use or store near heat, or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center



immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.


CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

AS AN INDUSTRIAL, MUNICIPAL OR INSTITUTIONAL CONTROL: For exposed or accessible stages of weevils infesting stored food products, clean areas to be sprayed, especially cracks, crevices and around machinery. Good housekeeping makes for more effective insect control and a definite savings in the amount of PYRA-FOG 100 required. To spray food storage areas, remove food products from shelves, racks or storage areas. Spray these areas thoroughly with PYRA-FOG 100 and replace food products. For packaged food, spray in such a manner that a light mist will fall upon the packages. For food products in sacks, spray thoroughly between and around sacks, paying particular attention to all cracks, crevices, walls and any other places that might offer shelter to the weevils. Contact as many weevils as possible. After all the local areas of storage have been sprayed, close all windows and doors. Thoroughly fog the entire storage area, being extremely careful that all food products are covered. After 10 to 20 minutes, sweep up and destroy all fallen insects. Repeat sprayings at least once a week or when reinfestation becomes evident.



FOR ROACHES, SILVERFISH and certain other crawling insects, direct spray in such a manner as to penetrate all cracks, crevices and other hiding places. Thoroughly fog around shelves, under sinks, refrigerators, dishwashing machines and bottle washing machines. Contact as many insects as possible. For routine control, spray PYRA-FOG 100 at least once a week. For badly infested areas, spray daily. During the summer months, spraying twice a week is advisable.

FOR BEDBUGS, spray mattresses, bedstead, corners, etc., wherever insects might be, as well as the holes or cracks and other hiding places about the bedroom, around baseboards, walls and floors. Spray should be directed into all cracks and hiding places about the room. Spraying should be repeated at regular intervals or whenever these insects are in evidence.

FOR FLIES AND MOSQUITOES, close all doors and windows before spraying. Direct spray toward ceiling and continue spraying with PYRA-FOG 100 until area is thoroughly fogged. After 10 to 20 minutes, sweep up and destroy all fallen insects. Repeat spraying as often as necessary.

NOTE: Remove birds, pets and fishbowls before spraying room.

Use PYRA-FOG 100 as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using.

DO NOT TREAT BULK GRAIN PRODUCTS.

TO REORDER:

In Texas, call 1-800-442-7950

Outside Texas, call 1-800-527-9921

(DATE)

EPA Est. No. 4140
CA-1 IN-1 NJ-1 PR-1 TX-1

