

**PYRA-FOG 100
Insect Spray**

ACTIVE INGREDIENTS

Pyrethrins	0.111%
Technical Piperonyl Butoxide*	0.278%
N-Octyl bicycloheptenedicarboximide	0.278%

OTHER INGREDIENTS**	99.330%
TOTAL	100.000%

*Equivalent to 0.19% (Butylcarbityl) (6-Propylpiperonyl) ether and 0.04% related compounds.

**Contains petroleum distillates

CAUTION


KEEP OUT OF REACH OF CHILDREN

(See elsewhere on the label for additional precautions.)

EPA Reg. No. 1769-53

EPA Est No. 4140-

CA-1 IN-1 NJ-1 PR-1 TX-1 TX-2



PYRA-FOG 100 is a contact insecticide incorporating pyrethrum and synergists that is formulated to control roaches, silverfish, weevils infesting stored food products, bedbugs, flies and certain other insects in their accessible stages. For best results, PYRA-FOG 100 should be used with electric sprayers, but hand or compressed air sprayers may be used.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF SWALLOWED

Immediately call a poison control center or doctor.

Do not induce vomiting unless told to do so by a poison control center or doctor.

Do not give any liquid to the person.

Do not give anything by mouth to an unconscious person.

IF INHALED

Move person to fresh air.

If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING

Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

IF IN EYE

Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing the eye.

Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of the smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AS AN INDUSTRIAL, MUNICIPAL OR INSTITUTIONAL CONTROL: For exposed or accessible stages of weevils infesting stored food products, clean areas to be sprayed, especially cracks, crevices and around machinery. Good housekeeping makes for more effective insect control and a definite savings in the amount of PYRA-FOG 100 required. To spray food storage areas, remove food products from shelves, racks or storage areas. Spray these areas thoroughly with PYRA-FOG 100 and replace food products. For packaged food, spray in such a manner that a light mist will fall upon the packages. For food products in sacks, spray thoroughly between and around sacks, paying particular attention to all cracks, crevices, walls and any other places that might offer shelter to the weevils. Contact as many weevils as possible. After all the local areas of storage have been sprayed, close all windows and doors. Thoroughly fog the entire storage area, being extremely careful that all food products are covered. After 10 to 20 minutes, sweep up and destroy all fallen insects. Repeat sprayings at least once a week or when reinfestation becomes evident.

FOR ROACHES, SILVERFISH and certain other crawling insects, direct spray in such a manner as to penetrate all cracks, crevices and other hiding places. Thoroughly fog around shelves, under sinks, refrigerators, dishwashing machines and bottle washing machines. Contact as many insects as possible. For routine control, spray PYRA-FOG 100 at least once a week. For badly infested areas, spray daily. During the summer months, spraying twice a week is advisable.

FOR BEDBUGS, spray mattresses, bedsteads, corners, etc., wherever insects might be, as well as the holes or cracks and other hiding places in the bedroom, around baseboards, walls and floors. Spray should be directed into all cracks and hiding places in the room. Spraying should be repeated at regular intervals or whenever these insects are in evidence.

FOR FLIES AND MOSQUITOES, close all doors and windows before spraying. Direct spray toward ceiling and continue spraying with PYRA-FOG 100 until area is thoroughly fogged. After 10 to 20 minutes, sweep up and destroy all fallen insects. Repeat spraying as often as necessary.

NOTE: Remove birds, pets and fishbowls before spraying room.

Use PYRA-FOG 100 as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using.

DO NOT TREAT BULK GRAIN PRODUCTS.

See the Material Safety Data Sheet for more information.

For medical or environmental emergencies, call CHEMTREC at 1-800-424-9300.

Not for Resale

0M108
9190NCBA

NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062
©2001 NCH Corporation

TO REORDER
Call TOLL-FREE: 1-800-527-9921
FAX: 972-438-0634

