


DIRECTIONS

Aids in reduction of airborne bacteria. Remove protective cap. Hold dispenser upright, pointing valve away from face. By spraying room so that a light fog forms, this formula will reduce the number of airborne bacteria and virus particles. This treatment will provide a temporary decontamination of the air. Repeated applications should be made periodically according to conditions which prevail.

ACTIVE INGREDIENTS

Isopropanol	20%
Triethylene Glycol	12%
Propylene Glycol	4%
Essential Oils	1%
INERT INGREDIENTS	57%



FLAIR

FLAIR

FLAIR

FLAIR

CAUTION:

CONTENTS UNDER PRESSURE
Do not puncture or incinerate. Do not expose to heat or store at temperatures above 110 F. Do not use near fire or open flame. Avoid contamination of feed or foodstuffs.

**KEEP OUT OF REACH
OF CHILDREN**

Net Weight - 16 oz.

USDA Reg. No. 1769-63

AIR SANITIZER and DEODORANT

REDUCES
AIRBORNE BACTERIA

CAUTION:

contents under pressure
KEEP OUT OF REACH OF CHILDREN
See other cautions on back panel

NATIONAL CHEMSEARCH CORPORATION
DALLAS • ST. LOUIS • NEW YORK • LOS ANGELES
TORONTO

Research Laboratory and Plant
2730 Carl Road
Irving, Texas 75060