764 62 300 -

CENTER PANEL

NATIONAL CHEMSEARCH

FLAIR AERDSOL

Air Sanitizer and Deodorant

REDUCES AIRBORNE BACTERIA

ACTIVE INGREDIENTS:

······	
Triethylene Glycol	12.0%
Propylene Glycol	
INERT INGREDIENTS:	
TOTAL	

CAUTION KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions

NET WEIGHT: 11 oz./312 g.

EPA Reg. No. 1769-63 EPA Est. No. 4140-TX-1

LEFT PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

ACCEPTED

MAY 1 2 1986

Under the Faderal Insecticide, Pungicide, and Rodenticide Act, as amended, for the posticide registered under PPA Reg. No.

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing the spray mist. Provide adequate ventilation of area being sprayed. Contact with skin, eyes and clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should poisoning occur, get prompt medical attention.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Get prompt medical attention.

IF INHALED: Move person to fresh air and treat symptomatically.

IF UN SKIN: Wash with soap thoroughly. If skin irritation persists, see a physician.

IF IN EYES: Flush with water for fifteen minutes, then semial physician immediately.

STORAGE AND DISPOSAL PHYSICAL OR CHEMICAL HAZARDS:

Contents Under Pressure. Do not puncture. Flammable. Do not use or store near heat or open flame. Exposure to temperatures above 130 F/54 C may cause bursting. Never throw container into fire or incinerator.

CONTAINER DISPOSAL

Replace cap and securely wrap original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

KEEP OUT OF REACH OF CHILDREN

(DATE)

TO REORDER: In Texas, call 1-800-442-7950 Outside Texas, call 1-800-527-9921

MAY 1 2 1986 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under [769-63]

EPA Reg. No.

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Aids in reduction of airborne bacteria. Remove protective cap. Hold dispenser upright, pointing valve away from face. Spraying room so that a light fog forms, 15-30 seconds, will reduce the number of airborne bacteria and virus particles. This treatment will provide a temporary decontamination of the air. Repeated applications should be made periodically according to conditions which prevail.

FLAIR aerosol, when used as directed, may be used in hotels, motels, hospitals, restaurants, office buildings, nursing homes, apartments and other areas where air sanitization is indicated.

NATIONAL CHEMSEARCH A Division of NCH Corporation 2727 Chemsearch Blvd. Irving, Texas 75062