

LEFT PANEL

NATIONAL CHEMSEARCH

CENTEX
NONSELECTIVE

ACTIVE INGREDIENTS:

Sodium Chlorate.....	18.00%
Sodium Metaborate.....	9.00%
INERT INGREDIENTS.....	73.00%
TOTAL.....	100.00%


CAUTION:
KEEP OUT OF REACH OF CHILDREN

(See right panel for additional precautions.)

EPA Reg. No. 1769-82

NET CONTENTS:

National Chemsearch
Div. of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062



CENTER PANEL

Controls Johnson Grass, Quack Grass, Bermuda Grass, Poison Ivy, Poison Oak, Bindweed, Canada Thistle, Sand Burr and many other grasses and weeds. Toxic to all types of vegetation. This material is recommended for vegetation control on noncropped areas such as fence-rows, ditch banks, around buildings, along roadsides, power lines, rights-of-way and other similar waste areas.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply when weather conditions favor drift from areas treated. Apply this pesticide only as specified on the label.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

RIGHT PANEL

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOT FOR RESIDENTIAL USE EXCEPT BY PROFESSIONAL TURF MAINTENANCE PERSONNEL. ?

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ANNUAL WEEDS: Apply 1 gallon of CENTEX (diluted with up to 10 gallons of water) per 150 to 200 square feet when plants are young. Thoroughly wet with a sprayer or sprinkling can all parts of the plant, particularly the growing tips.

PERENNIAL WEEDS: For best results, treat plants during their dormant stage or when nearing maturity. Apply by spraying 1 to 2 gallons of CENTEX per 100 square feet. For deep-rooted weeds and grass such as Bermuda, Johnson, Bindweed and Quack grass, the heavier rate is recommended. Retreatment may be necessary to secure adequate control of certain hard-to-kill weeds.

NOTE: This material is nonselective and affects all types of

vegetation. Extreme care should be exercised in its use to prevent killing lawns, shrubs, trees and other valuable plants. This includes the treatment of areas which may be overlaid by tree roots.

TO REORDER:

In Texas, call 1-800-492-5060
Outside Texas, call 1-800-527-4691

(DATE)

EPA Est. No. 4140
CA-1 IN-1 NJ-1 PR-1 TX-1