

APTREX

NON-SELECTIVE WEED KILLER

DIRECTIONS FOR USE: For treating 1000 Square feet, under ordinary conditions, dilute 2 to 4 gallons of APTREX with sufficient water to give good coverage. For application use a sprayer that will produce a coarse wet spray and that will apply the solution evenly over the entire area. For best results treat shortly before or at the time plant growth begins. Adequate control is possible when the vegetation is short or just after mowing. Thorough watering 24 hours after application will move the material to the root zone and speed up control. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

NOTE: Do not apply, allow to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. DO NOT contaminate irrigation or domestic water supplies. DO NOT allow contact with fertilizers, insecticides, fungicides or seed. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

Fast Acting on Broadleaf Plants
Kills most Vegetation for a Full Season or Longer
For use on non-crop Areas such as -- Right of Ways, Industrial Plants,
Tank Farms, Storage Areas and Parking Lots.

ACTIVE INGREDIENTS:

Monuron Trichloroacetate [3-(p-chlorophenyl)-1, 1-dimethylurea trichloroacetate]
* Isooctyl Ester of 2, 4-Dichlorophenoxyacetic Acid

INERT INGREDIENTS: 36.30%

Heavy Aromatic Naphtha
Dodecyl Benzene Sulfonic Acid

* Equivalent to 0.35% 2, 4-Dichlorophenoxyacetic Acid

CAUTION
HARMFUL IF SWALLOWED
IRRITATING TO SKIN AND EYES

Do not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention. Vapors from this product may injure desirable nearby plants.

Do not reuse empty container. Destroy by burying in a safe place.

NOTICE: KEEP FROM FREEZING. If this product is stored in cold or freezing weather it may separate or thicken. This will not harm the performance. Before using warm to room temperature and stir thoroughly.

USDA Reg. No. 1769-162 Net Contents

ACCEPTED

7-6-1968

1169-
10 11 12 67

YOU CAN RELY ON

CAUTION:

KEEP OUT OF REACH OF CHILDREN

(See right panel for additional precautions.)

Certified

An exclusive product of **CERTIFIED LABORATORIES, INC.**
Ft. Worth, Tex. • Chicago, Ill. • Kendall Park, N.J.
Mountain View, Calif.

P. O. BOX 2493 FT. WORTH, TEXAS 76101

PRINTED IN U.S.A.



APTREX



DIRECTIONS FOR USE: For treating 1000 Square feet, under ordinary conditions, dilute 2 to 4 gallons of APTREX with sufficient water to give good coverage. For application - use a sprayer that will produce a coarse wet spray and that will apply the solution evenly over the entire area. For best results treat shortly before or at the time plant growth begins. Adequate control is possible when the vegetation is short or just after mowing. Thorough watering 24 hours after application will move the material to the root zone and speed up control. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

NOTE: Do not apply, allow to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. DO NOT contaminate irrigation or domestic water supplies. DO NOT allow contact with fertilizers, insecticides, fungicides or seed. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

NON-SELECTIVE WEED KILLER

Fast Acting on Broadleaf Plants *(L. rugelii, etc.)*
 Kills most Vegetation for a Full Season or Longer
 For use on non-crop Areas such as - Right of Ways, Industrial Plants,
Tank Farms, Storage Areas and Parking Lots.

ACTIVE INGREDIENTS:

Monuron Trichloroacetate [3-(p-chlorophenyl)-1, 1-dimethylurea trichloroacetate]
 * Isooctyl Ester of 2, 4-Dichlorophenoxyacetic Acid

INERT INGREDIENTS: 36.30%

Heavy Aromatic Naphtha
 Dodecyl Benzene Sulfonic Acid

* Equivalent to 0.35% 2, 4-Dichlorophenoxyacetic Acid

YOU CAN RELY ON

CAUTION:

KEEP OUT OF REACH OF CHILDREN

(See right panel for additional precautions.)

Certified®

An exclusive product of CERTIFIED LABORATORIES, INC.
 Ft. Worth, Tex. • Chicago, Ill. • Kendall Park, N.J.
 Mountain View, Calif.

P. O. BOX 2493 FT. WORTH, TEXAS 76101


CAUTION
HARMFUL IF SWALLOWED
IRRITATING TO SKIN AND EYES

Do not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention. Vapors from this product may injure desirable nearby plants.

Do not reuse empty container. Destroy by burying in a safe place.

NOTICE: KEEP FROM FREEZING. If this product is stored in cold or freezing weather it may separate or thicken. This will not harm the performance. Before using, warm to room temperature and stir thoroughly.

USDA Reg. No. 1769-162 Net Contents



PRINTED IN U.S.A.

14) 12-67