



KILZONE

RESIDUAL SPRAY LASTS FOR WEEKS

ACTIVE INGREDIENTS:

Petroleum Distillates	59.0%
2-(1-methylethoxy)phenyl Methylcarbamate	1.0%
INERT INGREDIENTS:	40.0%

WARNING:

KEEP OUT OF REACH OF CHILDREN
Contents Under Pressure
See side panels for additional
precautions

Net Weight: 14 Ozs.

EPA Reg. No. 1769-164-AA
EPA EST. NO. 4140-TX-1

WARNING: May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing the spray mist and provide adequate ventilation of area being sprayed. Contact with skin, eyes, or clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should illness occur, get prompt medical attention.

Not to Physicians: Atropine sulfate is contained.

SPRAY ONLY ON SURFACES.

DO NOT USE AS A SPACE SPRAY.

National Chemsearch KILZONE is a new formulation which provides rapid kill and long residual against the following insects, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides:

Ants, Crickets, Flies (Indoors only), Roaches, Sawbugs, Brown Dog Ticks, Earwigs, Millipedes, Scorpions, Spiders, Clover Mites, Fleas (Outdoors only), Mosquitoes (Outdoors only), Silverfish, Saw-toothed Grain Beetle (Exposed stage).
HOW TO USE: Unlike most pressurized bombs, National Chemsearch KILZONE emits a small direct spray to a distance of 6 feet. Cracks, crevices and hard-to-reach locations can be easily treated without bending, crawling or climbing. Treat the surfaces until wet, moving the spray stream rapidly to prevent excessive wetting and waste of material. Do not point the spray toward people, plants or pets.

RESTRICTIONS: Do not apply to drapes, wallpaper, carpets, rugs or similar materials that may be stained.

Avoid excessive wetting of rubber, plastic and asphalt surfaces such as tiles and floor coverings.

WARNING: CONTENTS UNDER PRESSURE. Do not puncture. Do not use or store near heat or open flame. Never throw container into fire or incinerator. Exposure to temperature exceeding 130°F may cause the container to burst.

NATIONAL CHEMSEARCH

Research Laboratory 2727 Chemsearch Blvd., Irving, Texas 75062
Eastern Plant - Stouts Lane, Monmouth Junction, New Jersey
Western Plant - 932 Kifer Road, Sunnyvale, California
NATIONAL CHEMSEARCH is a division of USACHEM Inc. © Copyright 1974 National Chemsearch Corp.
DALLAS · ST LOUIS · HACKENSACK · BEVERLY HILLS PRINTED IN U.S.A.



RESIDUAL SPRAY
LASTS FOR WEEKS

Kills Roaches, Ants, Spiders, Brown Dog Ticks, Earwigs in and around buildings.
For Industrial and Institutional use in packaged food storage areas, around doors, windows and baseboards in and around schools, hospitals, municipal buildings, industrial plants and offices, apartment buildings, barracks and rest homes.

DIRECTIONS FOR USE:

INDOOR APPLICATION: Ants, cockroaches, crickets, sawbugs, spiders, saw-toothed grain beetle (Exposed stage), silverfish, earwigs: Spray into cracks, crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. For ants, spray trails and places where ants enter premises. Do not treat foundation or house plants. Remove pet and your fish bowls before spraying. Do not allow children to contact treated surfaces until the surfaces are completely dry. Repeat as necessary.

BROWN DOG TICKS: Spray sleeping quarters of pets around baseboards, window frames and door frames, wall cracks, and hard areas of floor. Repeat as necessary. Fresh bedding should be placed in animal quarters after spraying. Do not treat animals.

APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, prepared, packaged or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply a small amount of KILZONE by spraying, using an injection or insertion tube directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where ants, cockroaches, silverfish, spiders, saw-toothed grain beetles and earwigs hide. Prior to application, deenergize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

OUTDOOR APPLICATION: Ants, clover mites, crickets, earwigs, fleas, flies, millipedes, mosquitoes, sawbugs and Brown dog ticks: Treat infested areas thoroughly including outdoor surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For ants, treat hills and runways. Repeat when necessary. Do not spray vegetation.